

A & E EQUIPMENT PRODUCT CATALOGUE



Welcome

20 years of successful track record of delivering cost and service excellence to the NHS

We offer a full spectrum of products so that our customers can experience a 'one-stop shop' service. Being part of Niche Office Solutions Ltd gives Niche NHS access to over 207,000 products within 46 categories.

Niche NHS prides itself on its strong customer-focused business ethos.



www.nichenhs.co.uk



08450 739409



info@nichenhs.co.uk



Monday to Friday
09:00am to 17:30pm

Niche NHS

Niche NHS specialises in the supply of essential healthcare equipment. We are a trading division of Niche Office Solutions Ltd holding company.

Contents

Caretray™ Trolleys	2	Examination & Treatment Couches	22
Chart Trolleys	4	ScanCell® Carts	24
Chart Workstations	5	Mobile Infusion & Pump Stands	26
Room Dividers	6	Medical Record Workstations	28
Dispensers, Holders & Racks	8	Portering Chair	30
Dressing / Instrument Trolleys	12	Resuscitation Trolleys & Carts	32
Controlled Drug Cabinets	14	Airways / Difficult Intubation Trolley	37
Drug & Medicine Cabinets	16	Sepsis Trolleys	38
Auditable Access Control for Medicines Management	18	Removable Body Bins	40
Drug & Medicine Cupboards	20	Mata & Prima Beam Seating	42



CTM2/08/4S3D

CTM1/08/3S1D

Caretray™ Trolleys - Single & Double Column

Features

- Single & double column easy clean procedure trolleys
- Designed for quick & easy complete disassembly when conducting thorough or deep cleaning programmes (including steam cleaning)
- Fully welded mild steel frame that is blast finished & powder coated in a durable epoxy paint (requires no on-site assembly)
- One piece moulded top with raised edges on three sides and integral rim at the front to contain any spillages (max load 30kg)
- One piece moulded side panels incorporate runners with positive stops, preventing trays from being accidentally withdrawn
- Carerails fitted to each side of the trolley to support a wide range of accessories (see options)
- 100/150mm deep translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Each trolley is supplied with perforated coloured label strips (white, blue, green, yellow & red)
- Trays can be subdivided in both length & width using simple slot in dividers (each tray supplied with 2 x long & 2 x short dividers)
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building; smooth surfaces assist cleaning
- 100mm pressed steel castors, 2 off braking

Dimensions

- Plastic Top
 - Single Column - 455 x 455 (internal) at height 782/968mm
 - Double Column - 915 x 455 (internal) at height 782/968mm
- Trays
 - Shallow - 355 x 405 x 100mm (internal)
 - Deep - 355 x 405 x 150mm (internal)

Standard Colours

- Paint - Spearmint

Item	Description	Overall Dimensions (w x d x h)	Weight	Price
Low Level				
CTM1/08/3S1D	Single Column, 3 x 100mm, 1 x 150mm Trays	550 x 550 x 807mm	22.0kg	£334.44
CTM2/08/4S3D	Double Column, 4 x 100mm, 3 x 150mm Trays	1005 x 550 x 807mm	36.4kg	£529.20
Standard Level				
CTM1/10/3S2D	Single Column, 3 x 100mm, 2 x 150mm Trays	550 x 550 x 993mm	28.6kg	£388.26
CTM2/10/6S4D	Double Column, 6 x 100mm, 4 x 150mm Trays	1005 x 550 x 993mm	46.7kg	£636.12

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



CTM1/10/3S2D

CTM2/10/6S4D

Options

- CT/AGH - Alcohol Gel Holder
- CT/AIR - Airway Tube Holder
- CT/BBN - Debris Bin & Bracket
- CT/DH/A4 - Document Holder, A4
- CT/CR2 & CT/CR5 - Catheter Racks
- CT/CYD - Cylinder Holder - C/CD/D Size
- Single & Double Doors
- CT/FS - Flat Shelf - Removable
- CT/IV - Infusion Pole & Bracket
- CT/WF - Work Flap
- GMBH/15 - Glove / Mask Box Holder - One Box, 15mm Hook
- SBH/15 - Sharps Box Holder - One Box, 15mm Hook
- CT/SBB/15 - Sharps Box Bracket - Universal (Daniels / Frontier / Sharpak)
- CT/LH/S - Laptop Holder - Swing Arm
- CT/LH/F - Laptop Holder - Fixed Arm
- CT/LH/C5 - Motion C5 Holder - Swing Arm
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)
- C006 - 100mm Polymer Castor, 4 x Non-Braking (set of 4)

Optional Polymer Castors

- Easier to manoeuvre
- Reduced noise levels
- Easy to clean



info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



Chart Trolleys - Fixed Height

Features

- Angle adjustable chartboard fitted with a spring clip (adjustable 7-45 degrees)
- Usable chart area 500 x 525 (w x h)
- Lower lip on chartboard to support pens etc.
- Designed for quick & easy complete disassembly when conducting thorough or deep cleaning programmes (including steam cleaning)
- Fully welded mild steel frame that is blast finished & powder coated in a durable epoxy paint (requires no on-site assembly)
- One piece moulded side panels incorporate runners with positive stops, preventing trays from being accidentally withdrawn
- Carerails fitted to each side of the trolley (2 x L/H, 1 x R/H) to support a wide range of accessories (see options)
- Drop down work flap fitted to R/H side
- 100/150mm deep translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Each trolley is supplied with perforated coloured label strips (white, blue, green, yellow & red)
- Trays can be subdivided in both length & width using simple slot in dividers (each tray supplied with 2 x long & 2 x short dividers)
- 100mm pressed steel castors, 2 off braking

Dimensions (w x d x h)

- Overall Dimensions - 550 x 630 x 1080-1415mm
- Usable Chart Area - 500 x 525mm (w x h)
- Work Flap - 420 x 290mm (w x d)
- Trays
 - Shallow Tray - 355 x 405 x 100mm (internal)
 - Deep Tray - 355 x 405 x 150mm (internal)

Options

- CT/DH/A4 - Document Holder, A4
- CT/AGH - Alcohol Gel Holder
- CT/FS - Flat Shelf - Removable
- DAR/1/15 - Apron Roll Holder
- DG/3/15 - Three Glove Box Holder
- GMBH/15 - Glove / Mask Box Holder - One Box, 15mm Hook
- SBB/UV - Sharps Box Bracket - Universal (Daniels / Frontier / Sharpak)
- SBH/15 - Sharps Box Holder - One Box, 15mm Hook
- ZP010 - 100mm Ring Buffers
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)
- C006 - 100mm Polymer Castor, 4 x Non-Braking (set of 4)

Standard Colours

- Paint - White
- Chartboard/Work Flap - White

Item	Description	Weight	Price
CTCM1/10/3S2D	3 x 100mm, 2 x 150mm Trays	33.2kg	£467.28
CTCM1/10/4S1D	4 x 100mm, 1 x 150mm Trays	32.9kg	£459.00

Chart Workstations - Fixed Height

Features

- Angle adjustable chartboard fitted with a spring clip (adjustable 0-60 degrees)
- Usable chart area 800 x 560 (w x h)
- Lower lip on chartboard to support pens etc
- Models available with:
 - Chartboard only
 - Drawer
- Rails fitted to each side to support a wide range of accessories (see options)
- 100mm swivel castors, 2 off braking

Dimensions (w x d x h)

- Overall Dimensions - 820 x 675 x 1045 - 1510mm
- Usable Chart Area - 800 x 560mm (w x h)
- Drawer - 650 x 397 x 100mm (internal)

Standard Colours

- Paint - White
- Chartboard - White

Options

- CBT900 - Work Flap
- CBT905 - Lower Tray
- CT/DH/A4 - Document Holder, A4
- CT/AGH - Alcohol Gel Holder
- DG/3/15 - Three Glove Box Holder
- GMBH/15 - Glove / Mask Box Holder - One Box, 15mm Hook
- SBB/UV - Sharps Box Bracket - Universal (Daniels / Frontier / Sharpak)
- SBH/15 - Sharps Box Holder - One Box, 15mm Hook
- ZP010 - 100mm Ring Buffers

Item	Description	Weight	Price
CBT050	Spring Clip, Fixed Height	25.2kg	£423.00
CBT055	Spring Clip, Drawer, Fixed Height	33.0kg	£504.00





RD2R/D3/DD/D5



RD1/D3/CP/D3

Room Dividers

Features

- Fixed height mobile room divider/workstation
- Ideal for use in critical care areas - A&E, ICU, ICT, HDU
- Modular design allows the unit to be configured to suit your specific requirements
- Frame, worktop & upstand/panel available as...
 - Full width upstand
 - Full width upstand & right hand mounted panel
 - Full width upstand & left hand mounted panel
 - Full width panel
- Four configurations of lower units...
 - Three drawer unit, upper drawer fitted with an electronic push button lock (2 x 170, 1 x 285mm drawers)
 - Five drawer unit, upper drawer fitted with an electronic push button lock (5 x 125mm drawers)
 - Cupboard with double doors & removable shelf
 - Cover panel (creates a space within the unit)
- Easy clean solid grade laminate work surface & up-stand/panel
- Upper panel fitted with
 - Triple glove box holder
 - Alcohol gel holder (compatible with 500ml bottles, 70 x 70 x 225mm)
 - Apron roll dispenser
- 100mm ring buffers to protect the fabric of the building
- 100mm swivel castors, 2 off braking

Standard Colours

- Paint - White
- Worksurface / Up-Stand / Panel - White

Overall Dimensions (w x d x h)

- RD1 - 1768 x 698 x 1000mm
- RD2R/RD2L - 1768 x 698 x 1588mm
- RD3 - 1768 x 698 x 1350mm


Options

- Colour coded drawers available on request
- DTSF/RD/450/2 - Dressing Trolley
 - Seamlessly welded 304 grade stainless steel frame
 - Fixed shelves with down turned sides
 - Shelf Heights 375 & 840mm
 - Max load per shelf 40kg

Contact Our
Sales Team To
Discuss Your
Requirements

Configure Your Workstation in Four Easy Steps...

1. Select Your Frame



2. Select Lower Unit A



D3
(40.0kg)

Three drawer unit, upper drawer fitted with an electronic push button lock (2 x 175, 1 x 285mm)

3. Select Lower Unit B



D5
(45.0kg)

Five drawer unit, upper drawer fitted with an electronic push button lock (5 x 125mm)

4. Select Lower Unit C



DD
(29.0kg)

Cupboard with double doors & removable shelf



CP
(3.0kg)

Cover panel (creates a space within the unit)



RD3/DD/CP/D5 configured with DTSF/RD/450/2 & colour coded drawers



RD1/D5/CP/DD
FRAME LOWER UNIT A LOWER UNIT B LOWER UNIT C

Dispensers, Holders & Racks

Apron Dispensers - Roll

- Features**
- Apron roll holders, maximum width 415mm
 - Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- One Roll - 420 x 168 x 268mm
- Three Roll - 420 x 168 x 615mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
DAR/1	One Roll	2.0kg	£33.12
DAR/3	Three Rolls	8.2kg	£56.88

Apron Dispenser - Flat Pack

- Features**
- Holder to accept flat packed aprons, maximum width 400mm
 - Packs of aprons fold over the centrally positioned divider
 - Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 410 x 105 x 290mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
DAF/1	Flat Pack	2.0kg	£36.18

Pocket Mask Holder

- Features**
- Holder to accept Laerdal & Ambu Pocket Masks (hard cases)
 - Allows the case to be quickly removed from the holder
 - Supplied with self adhesive tape/holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 110 x 40 x 110mm

Standard Colours

- Paint - White




Item	Description	Weight	Price
PMH005	Pocket Mask Holder	0.1kg	£6.48

Glove Box Holder

- Features**
- Plastic coated wire frame
 - Available for wall mounting or fitted with a 30mm square hook

Standard Colours

- Paint - White



Item	Description	Dimensions (w x d x h)	Weight	Price
One Box				
DG/1	Wall Mounting	290 x 115 x 145mm	0.4kg	£10.08
DG/1/30	30mm Square Hook	290 x 155 x 145mm	0.5kg	£16.02
Three Box				
DG/3	Wall Mounting	290 x 115 x 405mm	0.7kg	£13.32
DG/3/30	30mm Square Hook	290 x 155 x 405mm	0.8kg	£19.98

Glove / Mask Box Holder
One Box, Wall Mounted

- Features**
- Accommodates glove and mask boxes up to 140mm in width
 - One piece construction
 - Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 143 x 100 x 152mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
GMBH/WM	One Box, Wall Mounted	0.5kg	£12.96

Glove Dispenser
Three Column, Adjustable

- Features**
- Packs of sterile gloves separated by two adjustable dividers
 - Full width card holder for identification
 - Clear front panel assists with stock level inspection
 - Hinged lid assists replenishment, whilst top loading ensures stock rotation
 - Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 565 x 260 x 315mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
SS/48/3	Three Column, Adjustable	7kg	£103.90

Alcohol Gel Holders - Wire Frame

Features

- Compatible with popular 500ml bottles, 70mm x 70mm x 225mm (not supplied)
- Stainless steel construction
- Plastic drip tray
- Available with holes for wall mounting (fixings not provided) or with a 30mm square hook

Standard Colours

- Stainless Steel



Item	Description	Dimensions (w x d x h)	Weight	Price
GH005	Lever Operated, Wall Mounted, Angled	77 x 300 x 278mm	0.4kg	£23.94
GH015	30mm Hook	77 x 117 x 180mm	0.3kg	£16.74

Syringe Dispenser - Five Column, Adjustable

Features

- Syringes separated by four adjustable dividers
- Full width card holder for identification
- Clear front panel assists with stock level inspection
- Hinged lid assists replenishment, whilst top loading ensures stock rotation
- Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 565 x 317 x 320mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
SS/36	Five Column	9.2kg	£108.90

Sharps Box Holder
One Box, Wall Mounted

Features

- Accepts sharps boxes up to seven litres capacity
- Sharps box secured using a rubber band fitted with a toggle
- Holes for wall mounting (fixings not provided)

Overall Dimensions (w x d x h)

- 127 x 100 x 190mm

Standard Colours

- Paint - White



Item	Description	Weight	Price
SBHWM	One Box, Wall Mounted	0.4kg	£18.00

Urine Bottle Holder
Hanging

Features

- Compatible with bottles up to 115mm Diameter
- Plastic coated wire frame
- 30mm square hook

Overall Dimensions (w x d x h)

- 150 x 182 x 262mm

Standard Colours

- Plastic - White



Item	Description	Weight	Price
UB/9	Urine Bottle	0.3kg	£19.98


Catheter Bag Holders
Free Standing/Hanging

Features

- Plastic coated wire frame
- Accepts most widely used bags
- Available freestanding or hanging (30mm square hook)
- Upper clip to hold the inlet tube
- Lower clip angles the drainage tube upwards to prevent drips should the tap leak

Standard Colours

- Plastic - White



Item	Description	Dimensions (w x d x h)	Weight	Price
UB005	Freestanding	250 x 250 x 550mm	0.6kg	£14.76
UB010	Hanging	250 x 77 x 410mm	0.4kg	£14.94

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Dressing / Instrument Trolleys - Removable Shelves, Stainless Steel, 450mm Deep



DTSR/450



DTSR/750



DTSR/600/SR



DTSR/900/SR

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- Available with flat or reversible 304 grade stainless steel shelves, cushioned on anti-static spiral buffers (removable for cleaning)
- Reversible shelves allow the end user to choose between having a flat shelf or a shelf with three upturned sides
- Shelf heights 405 & 870mm
- Max load per shelf 40kg
- 75mm pressed steel anti-static, non-braking & non-marking castors (1 x anti-static, 3 x non anti-static)

Options

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)
- Drawers - Range of sizes / configurations available (contact us for more details)
- DP/C - Infusion Pole & Bracket
- E/SOCKET/4 - Four Gang Socket (requires an additional drawer)
- GR - Guard Rail
- ZP005 - Ring Buffers

Item	Overall Dimensions (w x d x h)	Shelf Size	Weight	Price
Flat Shelves				
DTSR/450	470 x 470 x 890mm	450 x 450mm	11.5kg	£211.50
DTSR/600	620 x 470 x 890mm	600 x 450mm	16.0kg	£236.70
DTSR/750	770 x 470 x 890mm	750 x 450mm	18.0kg	£261.90
DTSR/900	920 x 470 x 890mm	900 x 450mm	20.0kg	£286.92
Reversible Shelves				
DTSR/450/SR	470 x 470 x 890mm	450 x 450mm	11.5kg	£225.36
DTSR/600/SR	620 x 470 x 890mm	600 x 450mm	16.0kg	£250.56
DTSR/750/SR	770 x 470 x 890mm	750 x 450mm	18.0kg	£275.76
DTSR/900/SR	920 x 470 x 890mm	900 x 450mm	20.0kg	£300.78

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Dressing / Instrument Trolleys - Fixed Shelves, Sides Up, Stainless Steel, 450mm Deep

Features

- Seamlessly welded frame from 304 grade stainless steel for strength & ease of cleaning
- Fixed shelves with three sides up & one down
- Shelf heights 405 & 870mm
- Max load per shelf 40kg
- 75mm pressed steel anti-static, non-braking & non-marking castors (1 x anti-static, 3 x non anti-static)

Options

- C001 - 80mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C002 - 100mm, Grey Polymer Castors (2 x braking / 2 x non-braking)
- C003 - 100mm, Pressed Steel Castors (2 x braking / 2 x non-braking)
- Drawers - Range of sizes / configurations available (contact us for more details)
- DP/C - Infusion Pole & Bracket
- E/SOCKET/4 - Four Gang Socket (requires an additional drawer)
- ZP005 - Ring Buffers



DTSF/450



DTSF/600

Item	Overall Dimensions (w x d x h)	Shelf Size	Weight	Price
DTSF/450	470 x 470 x 890mm	450 x 450mm	11.5kg	£206.46
DTSF/600	620 x 470 x 890mm	600 x 450mm	16.0kg	£226.62
DTSF/750	770 x 470 x 890mm	750 x 450mm	18.0kg	£246.78
DTSF/900	920 x 470 x 890mm	900 x 450mm	20.0kg	£266.76



DTSF/750 with Drawer Unit DRW/350/F



DTSF/600

Contact us for further information on drawer options

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



CD005, CD015 & CD010



CD020

CD030

CD025



Optional 12v DC LED Lighting/Warning System
Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug

- Door activated micro-switch
- LED* warning light illuminates
- Green when closed
- Red when open
- Flashes red when open for 2 1/2 minutes
- Volt-free contact to allow connection to an additional light/nurse call system
- Optional buzzer

*Externally mounted



CD010 with 12v DC LED Lighting/Warning System

Controlled Drug Cabinets - Single Point Locking

Features

- Exceeds the statutory requirement for the storage of controlled drugs "The Misuse of Drugs (Safe Custody) Regulations 1973" (with the exception of CD040, CD045)
- BS3621 anti-pick & drill, key retaining six pin cylinder lock (supplied with 2 working keys & identity card)
- Single-point locking
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs per profile
- Compatible with ABLOY® CLIQ™ Remote, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Can be supplied with a micro-switch to allow connection to remote lighting/ nurse call system by others (CD905), or supplied with a 12v DC LED lighting/warning system with volt-free contact to allow connection to light/ nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- 1.5mm (16 gauge) mild steel, seamless welded construction
- Mounting holes provided in back (fixings not included)
- Adjustable & removable shelves
- Security of models CD005, CD010 & CD015 can be enhanced by concealing inside one of our 'Drug & Medicine Cabinets'
- Modular design allows for easy interchange with HTM 63 storage systems
- Supplied right hand hinging as standard, left hand available on request

Standard Colours

- Paint - White

Options

- CD905 - Micro-switch to connect to remote light box / alarm
- CD910 / CD911 / CD912 / CD913 - 12v DC LED Lighting/ Warning System (for compatibility see tables below)
- PCB - Buzzer Alarm (Factory Fit To Cabinets With Lights Only)



CD030



CD035



CD040



CD045

Item	Dimensions (w x d x h)	Weight	Shelves	Optional Lighting / Warning System	Price
CD005	210 x 270 x 300mm	8.0kg	1	CD910	£158.22
CD010	335 x 270 x 300mm	9.0kg	1	CD910	£172.80
CD015	335 x 270 x 550mm	17.0kg	2	CD910	£206.28
CD020	500 x 300 x 550mm	20.0kg	2	CD910	£383.76
CD025	500 x 300 x 850mm	37.0kg	3	CD910	£527.58

Item	Dimensions (w x d x h)	Weight	Shelves	Optional Lighting / Warning System	Price
CD030	500 x 450 x 850mm	42.0kg	3	CD911	£575.64
CD035	500 x 450 x 1250mm	59.0kg	4	CD911	£671.58
CD040	500 x 315 x 1900mm	73.0kg	6	CD912	£767.34
CD045	500 x 465 x 1900mm	91.0kg	6	CD913	£815.22



PC636 - Shown with CD005

Drug & Medicine Cabinets - Shelves & Door Shelves

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with 3 keys)
- Adjustable & removable shelves (190mm deep) & door shelves (75mm deep)
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with ABLOY® CLIQ™ Remote, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- 12v DC LED lighting/warning system with volt-free contact to allow connection to light/nurse call systems. Requires 100v - 240v ~, 50Hz-60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EEC
- Lighting transformer casing adds 105mm to the overall height
- 0.9mm (20 gauge) mild steel welded construction
- Mounting holes provided in back (fixings not included)
- Modular design allows for easy interchange with HTM 63 storage systems
- Compatible with our range of CD cabinets for the storage of Controlled Drugs

Standard Colours

- Paint - White

Options

- MPL - Mechanical Push Button Lock
- SL - Sullied Locks
- PC/500/ST - Sloping Top (500mm Wide Cabinets)
- PC/600/ST - Sloping Top (600mm Wide Cabinets)
- PC/800/ST - Sloping Top (800mm Wide Cabinets)
- PC/1000/ST - Sloping Top (1000mm Wide Cabinets)
- PC/RLBS - Remote Light Box (Surface Mounted)
- PC/RLBF - Remote Light Plate (Flush Mounted)
- PCB - Buzzer Alarm (Factory Fit To Cabinets With Lights Only)



PC839

PC1036

Single Door Cabinets

Item	Dimensions (w x d x h)	Weight	Shelves/Door Shelves	Compatible CD Cabinets	Price
PC536	500 x 300 x 600mm	29.9kg	3/3	CD005, CD010	£316.26
PC539	500 x 300 x 900mm	34.0kg	4/4	CD005, CD010, CD015	£397.98
PC636	600 x 300 x 600mm	33.9kg	3/3	CD005, CD010	£348.84
PC639	600 x 300 x 900mm	38.0kg	4/4	CD005, CD010, CD015	£435.60

* Transformer casing adds 105mm to overall height

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Double Door Cabinets

Item	Dimensions (w x d x h)	Weight	Shelves/Door Shelves	Compatible CD Cabinets	Price
PC836	800 x 300 x 600mm	40.9kg	6/5	CD005, CD010	£419.94
PC839	800 x 300 x 900mm	45.9kg	8/8	CD005, CD010, CD015	£523.08
PC1036	1000 x 300 x 600mm	48.9kg	6/6	CD005, CD010	£453.24
PC1039	1000 x 300 x 900mm	53.9kg	8/8	CD005, CD010, CD015	£565.20

*Transformer casing adds 105mm to overall height

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Auditable Access Control for Medicines Management



What is Cliq™ Remote?

ABLOY® CLIQ™ REMOTE is the very latest in user-friendly, web-based security management. Part of the ABLOY® PROTEC CLIQ™ range, CLIQ™ REMOTE is designed for remote sites, enabling the commissioning, programming and full administration of security management centrally via web-based software.

How Does It Work?

ABLOY® CLIQ™ REMOTE integrates electronics into mechanical cylinders and keys, providing a security solution that can be managed remotely. In short, this works like an electronic handshake: when the key is inserted it engages with the cylinder, sending a random number back to the key. The key replies with an encrypted response which is decrypted by the cylinder and if valid the cylinder then allows access. It is important to remember that the mechanical combination must match as well as the digital combination. ABLOY® CLIQ™ REMOTE allows a single key to be used with multiple cabinets or trolleys.

System Features

- Secure - Provides dual security through the patented ABLOY® PROTEC mechanical disc cylinders and keys along with DES encryption, a recognised electronic standard
- Easily Programmable - Keys can be added quickly and programmed to specific time and date schedules
- Fully Auditable - Audit trails can be accessed from both the cylinder and key
- Reduces Keys - One key can be programmed to open multiple cabinets or trolleys
- Easily Accessible - The CLIQ™ environment works in a cloud hosted server farm, maintained and supported by Abloy allowing remote user access via a secure connection from anywhere in the world
- Cost Effective - Low installation & maintenance costs along with a long lifecycle (requires no wires or system updates, power for the cylinder is provided by the key)
- Easily Retrofittable - CLIQ™ cylinders are designed to fit into Euro Profile mechanical lock cases

System Benefits

- One key can be programmed to open multiple cabinets or trolleys
- The key is made personal to that member of staff, resulting in increased ownership and a reduction in the number of keys lost
- Easy to apply remote management, saves money and has the ability to cover several hospitals
- Time and date based access rights, with a full audit trail allow for full visibility of when visits were made
- New keys can be added to the system quickly and easily, removal of lost ones is hassle-free
- Reduction in time spent looking for keys

Process Flow

Start of Shift



Nurse/member of staff places their key into the Wall PD to gain validation for their shift. If key transactions are present from the previous shift they will be automatically downloaded from the key and stored in the audit trail archive (server) prior to new authorisations being uploaded.

During Shift



The key will only open cabinets where access permissions have been granted. Each time the key is used in a cabinet fitted with an ABLOY® PROTEC cylinder an audit trail is created on both the key and cylinder.

End of Shift



Key is placed into the Wall PD. Previous key transactions are automatically downloaded from the key and stored in the audit trail archive (server).

In the event that the key is not placed into the Wall PD at the end of the shift, the audit trail is downloaded the next time the key is presented to the Wall PD. In the event that a key is lost, the lock cylinder can be interrogated by a programming key (the cylinder stores an audit trail of the last 1,000 key insertions).



System Components

ABLOY® PROTEC CLIQ™ Key

- Provides dual security through the patented ABLOY® PROTEC mechanical disc cylinders and keys along with DES encryption, a recognised electronic standard
- Thin, light but incredibly strong key



ABLOY® PROTEC CLIQ™ Lock Barrel

- A bump proof mechanism
- Exceptionally smooth key entry and operation
- Can be master keyed and keyed alike with cylinders, cam and furniture locks as well as padlocks



Wall Programming Device

- Updates keys remotely (linking the server and users keys)
- Offers high level data encryption
- Allows the use of recurring validation, forcing users to validate their keys at the start of their shift whilst automatically downloading audit trails which are relayed to the server



Key Management (Traka)

- Allows integration of a key safe into the CLIQ™ system to control the issuing of keys
- Unprogrammed keys are accessed using existing (or new) security cards or pin number technology
- Reports on key activity are easily accessible from the system



Questions & Answers

Q Is the system expensive to install?
A The system has a low installation & maintenance cost along with a long life cycle. CLIQ™ cylinders are designed to fit into Euro Profile mechanical lock cases. No wiring is required to the cabinet. The wall programming device requires an Ethernet connection and power through a 12-24V adapter or alternatively power over Ethernet.

Q Who maintains the system?
A System maintenance is normally assigned to a member of the hospital staff who will be responsible for programming/issuing of keys along with interrogation of audit trails.

Q Is it possible to access the system remotely?
A The CLIQ environment works in a cloud hosted server farm, maintained and supported by Abloy. Access from anywhere in the world is possible utilising secure encryption via the internet. Allowing users to remotely provide access rights and retrieve audits on the fly.

Q How long do the batteries last?
A The battery is located in the key, not the cylinder. Under normal usage a battery will operate up to 20,000 cycles or 2 years.

Q What happens if a key is lost?
A In the event that a key is lost this can be quickly removed from the system. If subsequently found this can be added back and re-issued. In the event that an audit trail is required for a lost key, lock cylinders can be interrogated using a programming key (each cylinder stores an audit trail of the last 1,000 key insertions).

Q How can I better control the issuing of keys?
A Through the use of ABLOY® Traka (key safe) keys can be automatically assigned to specific users. Keys are issued using either the staff members own security card or via pin number technology.

Contact our sales team for more information



MCR/870/3S2D/MPL



MCR/870/FS



Compatible with
ABLOY PROTEC



MCL/870/3S2D

Drug & Medicine Cupboards - Single Door, 870mm High

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with 3 keys)

Available with either...

- Plastic Trays
- Shelves
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with ABLOY® CLIQ™ Remote, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Worksurface (removable to assist with positioning under existing worktops)
- 0.9mm (20 Gauge) mild steel welded construction
- Modular design allows for easy interchange with HTM 63 storage systems

Plastic Trays

- Interchangeable with our popular CT range (post 2016)
- 3 x 100mm, 2 x 150mm trays supplied per cupboard
- Translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Each cupboard is supplied with perforated coloured label strips (white, blue, green, yellow & red)
- Trays can be subdivided in both length & width using simple slot in dividers (each tray supplied with 2 x long & 2 x short dividers)

Shelves

- 3 x flat shelves supplied per cupboard
- Adjustable at 50mm increments
- Capacity to hold 6 x MDS frames (if required)

Overall Dimensions (w x d x h)

Cupboard
• 500 x 536 x 870mm

Trays
• Shallow Tray - 355 x 405 x 100mm (internal)
• Deep Tray - 355 x 405 x 150mm (internal)

Standard Colours

- Paint - White
- Worksurface - Beech

Options

- SL - Suited Locks
- MPL - Mechanical Push Button Lock
- MC/JK/870 - Joining Kit & Full Width Worktop (required when connecting cupboards)

Item	Description	Weight	Price
Five Pin Cylinder Lock			
MCR/870/3S2D	Single Door, Five Pin Cylinder Lock, 870mm High, Plastic Trays	45.6kg	£537.66
MCR/870/FS	Single Door, Five Pin Cylinder Lock, 870mm High, Flat Shelves	37.0kg	£511.20
Mechanical Push Button Lock			
MCR/870/3S2D/MPL	Single Door, Mechanical Push Button Lock, 870mm High, Plastic Trays	45.6kg	£628.74
MCR/870/FS/MPL	Single Door, Mechanical Push Button Lock, 870mm High, Flat Shelves	37.0kg	£602.28

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Drug & Medicine Cupboards - Single Door, 1870mm High

Features

- Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS3621 anti-pick & drill, key retaining five pin cylinder lock (supplied with 3 keys)

Available with either...

- Plastic Trays
- Shelves
- Shelves & Dividers
- Key profile unique to Hospital Metalcraft Ltd, offering 250,000 differs
- Compatible with ABLOY® CLIQ™ Remote, integrating electronics into high security mechanical disc cylinders & keys, combining electronic security & remote management in real time
- Worksurface (removable to assist with positioning under existing worktops)
- 0.9mm (20 Gauge) mild steel welded construction
- Modular design allows for easy interchange with HTM 63 storage systems

Plastic Trays

- Interchangeable with our popular CT range (post 2016)
- 7 x 100mm, 5 x 150mm trays supplied per cupboard
- Translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Each cupboard is supplied with perforated coloured label strips (white, blue, green, yellow & red)
- Trays can be subdivided in both length & width using simple slot in dividers (each tray supplied with 2 x long & 2 x short dividers)

Shelves

- 8 x flat shelves supplied per cupboard
- Adjustable at 50mm increments
- Capacity to hold 16 x MDS frames (if required)

Shelves & Dividers

- 8 x flat shelves supplied per cupboard
- Adjustable at 50mm increments
- Removable dividers 100mm high & adjustable at 25mm increments assist with the segregation of drugs & medicines (16 supplied per cupboard)

Standard Colours

- Paint - White

Overall Dimensions (w x d x h)

Cupboard


- 500 x 536 x 1870mm

Trays

- Shallow Tray - 355 x 405 x 100mm (internal)
- Deep Tray - 355 x 405 x 150mm (internal)

Options

- SL - Suited Locks
- MPL - Mechanical Push Button Lock
- MC/JK/1870 - Joining Kit (required when connecting cupboards)
- MC/ST - Sloping Top
- MC/DIV - Set of 16 Dividers



Compatible with
ABLOY PROTEC



Trays



Shelves



Shelves & Dividers



MCR/1870/7SSD

Item	Description	Weight	Price
Five Pin Cylinder Lock			
MCR/1870/7SSD	Single Door, Five Pin Cylinder Lock, 1870mm High, Plastic Trays	88.6kg	£687.2
MCR/1870/FS	Single Door, Five Pin Cylinder Lock, 1870mm High, Flat Shelves	69.0kg	£634.50
MCR/1870/FS	Single Door, Five Pin Cylinder Lock, 1870mm High, Flat Shelves & Dividers	79.0kg	£661.68
Mechanical Push Button Lock			
MCR/1870/7SSD/MPL	Single Door, Mechanical Push Button Lock, 1870mm High, Plastic Trays	88.6kg	£778.32
MCR/1870/FS/MPL	Single Door, Mechanical Push Button Lock, 1870mm High, Flat Shelves	69.0kg	£725.58
MCR/1870/FS/MPL	Single Door, Mechanical Push Button Lock, 1870mm High, Flat Shelves & Dividers	79.0kg	£752.76

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



EC1210/VBB/E02/E05

Options



info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Examination & Treatment Couch - Two Section

Features

- Safe working load & lifting capacity (from minimum height) of 225kg
- Adjustable angle backrest
 - Manual -25 to +90 degrees
 - Electric -22 to +90 degrees
- Anti-trap gas strut fitted with a release lever used on the backrest section (optional electric)
- Choice of electric or hydraulic height adjustment
- Height adjustment from 490-950mm
- Retractable castors fitted to both ends to assist with movement & positioning
- Fitted with one adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- Electric models (230V ~, 50/60Hz) fitted with a UK 3 pin plug & available with either a hand or foot switch
- Hydraulic models use a foot pump pedal positioned on both sides of the couch
- Seamless & contoured upholstery using flame retardant & anti-bacterial vinyl
- Frames prepared to accept optional accessories

Overall Dimensions (w x d x h)

- 630 x 1790 x 490-950mm

Standard Colours

- Paint - White
- Vinyl - Bristol Blue (see chart for alternative colours)

Alternative colours available at extra cost. Change suffix 'VBB' on the product code with any of the following i.e. Hydraulic in Aqua Marine - EC1205/VAQ

VBB	VAQ	VFR	VGH	VDB
VSD	VLI	VCH	VCB	VPE

Service Contract Available
Please Contact Customer Services

Item	Description	Weight	Price
EC1205/VBB	Hydraulic	68.8kg	£790.56
EC1210/VBB	Electric, Hand Switch	68.8kg	£714.06
EC1215/VBB	Electric, Foot Switch	68.8kg	£754.38
EC1220/VBB	Electric with Electric Backrest - Hand Switch	71.1kg	£916.56
EC1225/VBB	Electric with Electric Backrest - Foot Switch	71.1kg	£956.88

Examination & Treatment Couch - Three Section

Features

- Safe working load & lifting capacity (from minimum height) of 225kg
- Adjustable angle backrest
 - Manual -25 to +90 degrees
 - Electric -22 to +90 degrees
- Adjustable angle footrest from -25 to +75 degrees
- Anti-trap gas struts fitted with release levers used on back & footrest sections
- Choice of electric or hydraulic height adjustment
- Height adjustment from 490-950mm
- Retractable castors fitted to both ends to assist with movement & positioning
- Fitted with one adjustable foot fitted to allow levelling on uneven floors
- Clearance beneath frame allows access for mobile hoists
- Electric models (230V ~, 50/60Hz) fitted with a UK 3 pin plug & available with either a hand or foot switch
- Hydraulic models use a foot pump pedal positioned on both sides of the couch
- Seamless & contoured upholstery using flame retardant & anti-bacterial vinyl
- Frames prepared to accept optional accessories

Overall Dimensions (w x d x h)

- 630 x 1790 x 490-950mm

Standard Colours

- Paint - White
- Vinyl - Bristol Blue (see chart for alternative colours)


Alternative colours available at extra cost. Change suffix 'VBB' on the product code with any of the following i.e. Electric, Foot Switch in Onyx Black - EC1315/VOB

VBB	VAQ	VFR	VGH	VDB
VSD	VLI	VCH	VCB	VPE

Service Contract Available
Please Contact Customer Services

Item	Description	Weight	Price
EC1305/VBB	Hydraulic	70.2kg	£922.50
EC1310/VBB	Electric, Hand Switch	70.2kg	£846.00
EC1315/VBB	Electric, Foot Switch	70.2kg	£886.32
EC1320/VBB	Electric with Electric Backrest - Hand Switch	72.5kg	£1,048.50
EC1325/VBB	Electric with Electric Backrest - Foot Switch	72.5kg	£1,088.82


info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



EC1310/VBB

Options





Mobile Infusion Stands - Heavy Duty, Easy Clean

Features

- Range of stands designed specifically to hold blood warmers/pumps & syringe drivers
- Fully welded heavy duty five leg base with low centre of gravity to assist stability
- 50mm diameter scratch resistant stainless steel upright & 25mm diameter pump support bows
- A seamless polyurethane over moulding encases the base providing:
 - A flexible tear & water resistant finish
 - Impact protection to the fabric of the building
 - A shield for the twin wheel castors
- Smooth edges & contours, allowing for easy & effective cleaning (including steam cleaning)
- Height adjustable upright using a heavy duty handwheel (1300 - 2000mm)
- Available with four/six U shaped hooks
- Maximum recommended load:
 - Hooks - 4kg per stand plus
 - Fixed Uprights - 4kg per stand
- 75mm polypropylene/thermoplastic rubber heavy duty twin wheel castors (1 x anti-static)

Overall Dimensions (w x d x h)

- 620 x 620 x 1300-2100mm

Standard Colours

- Base - Grey/Blue/Green/Red/Yellow
- Upright - Stainless Steel

Options

- EIS905 - Cylinder Clamp (pair)



Description	Weight	Grey*	Grey Base Price	Blue	Green	Red	Yellow	Colour Base Price
Two Hook	8.0kg	EIS005	£191.70	EIS005/BL	EIS005/GR	EIS005/RD	EIS005/YE	£198.54
Four Hook	8.1kg	EIS010	£198.00	EIS010/BL	EIS010/GR	EIS010/RD	EIS010/YE	£204.84
Two Hook, Handle	8.5kg	EIS015	£205.20	EIS015/BL	EIS015/GR	EIS015/RD	EIS015/YE	£212.04
Four Hook, Handle	8.6kg	EIS020	£211.50	EIS020/BL	EIS020/GR	EIS020/RD	EIS020/YE	£218.34

Mobile Pump Stands - Heavy Duty, Easy Clean

Features

- Range of stands designed specifically to hold blood warmers/pumps & syringe drivers
- Fully welded heavy duty five leg base with low centre of gravity to assist stability
- 50mm diameter scratch resistant stainless steel upright & 25mm diameter pump support bows
- A seamless polyurethane over moulding encases the base providing:
 - A flexible tear & water resistant finish
 - Impact protection to the fabric of the building
 - A shield for the twin wheel castors
- Smooth edges & contours, allowing for easy & effective cleaning (including steam cleaning)
- Height adjustable upright using a heavy duty handwheel (1300 - 2000mm)
- Available with four/six U shaped hooks
- Maximum recommended load:
 - Hooks - 12kg per stand plus
 - Fixed Uprights - 22kg per stand
- 75mm polypropylene/thermoplastic rubber heavy duty twin wheel castors (1 x anti-static)

Dimensions (w x d x h)

- 620 x 620 x 1300-2000mm

Vertical clamping area

- EPS005 - 975mm
- EPS010 & EPS015 - 771mm (inner pole) 2 x 646mm (outer poles)

Standard Colours

- Base - Grey
- Upright - Stainless Steel



Item	Description	Weight	Price
EPS005	Standard Capacity, Four Hook*	11.0kg	£427.14
EPS010	High Capacity, Four Hook**	13.0kg	£466.38
EPS015	High Capacity, Six Hook**	13.1kg	£479.34

*vertical clamping area 975mm **vertical clamping area 2063mm



EPS015
Shown with 3 volumetric
infusion pumps & 5
syringe drivers fitted to
two SpaceStation docking
stations (not supplied)

EPS005
Shown with 1 volumetric
infusion pump & 3
syringe drivers fitted to
a SpaceStation docking
station (not supplied)

Medicals Record Workstations - X-Ray Compartment/Open Cupboard



MR500



MR505

Features

- Available as single & double column units with
 - One / two drawers & x-ray pigeon hole (8 / 12 sections)
 - One / two drawers & open cupboard
 - Two / four drawers
- Double drawer units fitted with an anti-tilt mechanism preventing two drawers from being opened at the same time
- Push handle & document pocket fitted to end of trolley
- Low level bumper rail to protect the fabric of the building
- 80mm swivel castors, 2 off braking
- Suitable for use with our filing pockets

Standard Colours

- Paint - Grey
- Body/Drawers - White/Spearmint

Options / Accessories

- CF/FPK10 - Filing Pockets (x10)



Item	Description	Weight	Price
Single Column - 645 x 590 x 1010mm			
MR500	One Drawer, X-Ray Pigeon Hole, Heavy Duty Lock	54.5kg	£482.58
MR505	One Drawer, Open Cupboard, Heavy Duty Lock	54.0kg	£427.68
MR600	Two Drawers, Anti-Tilt Locking	64.0kg	£540.00



MR510



MR650

Item	Description	Weight	Price
Double Column - 1000 x 590 x 1010mm			
MR510	Two Drawers, X-Ray Pigeon Hole, Anti-Tilt Locking	90.5kg	£708.12
MR515	Two Drawers, Open Cupboard, Anti-Tilt Locking	89.5kg	£604.44
MR650	Four Drawers, Anti-Tilt Locking	109.5kg	£895.50

*Due to weight, we recommend that double column units are used as stationary workstations

info@nichens.co.uk | 08450 739409 | www.nichens.co.uk

info@nichens.co.uk | 08450 739409 | www.nichens.co.uk



G/200/RS/VBB



Portering Chair - Rear Steer, Nesting, Sliding Foot Rest

Features

- Nests to occupy reduced floor space and encourage tidy storage
- Seamless & contoured upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients and helpers
- Sliding rubber foot rest aids access as well as supporting feet during transit
- Design ensures chair will not tip should patient stand on the step
- X-ray/notes pocket on rear of seat
- Two hooks for patients belongings
- Fittings to accept IV poles/cylinder holders mounted to rear uprights
- 200mm fixed wheels/150mm total stop braking castors (cushioned)
- Maximum load 190kg

Dimensions (w x d x h)

- Overall Dimensions - 660 x 840 x 1040mm
- Seat - 540 x 420mm at Height 530mm
- Back - 490 x 455mm

Standard Colours

- Paint - Grey
- Upholstery - Bristol Blue

Options

- CYHP/D1 - Cylinder Holder, CD/D
- CYHP/E1 - Cylinder Holder, E
- G/CLS - Calf/Leg Supports (pair)
- G/DP - Infusion Pole
- G/SB - Lap Seatbelt
- G/CARD/LOCK - Card/Coin Lock, Factory Fitted
- G/CARD/STATION - Head of Station
- ZLOKE011 - Release Card



X-ray/notes pocket



Chairs interrest. Shown with optional coin locks



Service Contract Available
Please Contact Customer Services

Alternative colours available at additional cost. Change suffix 'VBB' on the product code with any of the following i.e. Rear Steer, Nesting, Sliding Foot Rest in Bristol Blue - G/200/RS/VBB



Item	Description	Weight	Price
G/200/RS/VBB	Rear Steer, Nesting, Sliding Foot Rest	29.0kg	£552.96

Info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Portering Chair - Front Steer, Nesting, Sliding Foot Rest

Features

- Nests to occupy reduced floor space and encourage tidy storage
- Seamless & contoured upholstery using flame retardant antimicrobial vinyl
- Moulded drop down arm rests allows side access for patients and helpers
- Sliding rubber foot rest aids access as well as supporting feet during transit
- Design ensures chair will not tip should patient stand on the step
- X-ray/notes pocket on rear of seat
- Two hooks for patients belongings
- Fittings to accept IV poles/cylinder holders mounted to rear uprights
- 125mm swivel castors/200mm braking fixed wheels (cushioned)
- Maximum load 190kg

Dimensions (w x d x h)

- Overall Dimensions - 660 x 840 x 1040mm
- Seat - 540 x 420mm at Height 530mm
- Back - 490 x 455mm

Standard Colours

- Paint - Grey
- Upholstery - Bristol Blue

Options

- CYHP/D1 - Cylinder Holder, CD/D
- CYHP/E1 - Cylinder Holder, E
- G/CLS - Calf/Leg Supports (pair)
- G/DP - Infusion Pole
- G/SB - Lap Seatbelt
- G/CARD/LOCK - Card/Coin Lock, Factory Fitted
- G/CARD/STATION - Head of Station
- ZLOKE011 - Release Card



G/305/FS/VBB shown with optional G/DP (Infusion Pole)
CYHP/E1 (Cylinder Holder, E)
G/CLS (Calf/Leg Supports)



G/305/FS/VBB



Service Contract Available
Please Contact Customer Services

Alternative colours available at additional cost. Change suffix 'VBB' on the product code with any of the following i.e. Front Steer, Nesting, Sliding Foot Rest in Lime - G/305/FS/VLI



Item	Description	Weight	Price
G/305/FS/VBB	Front Steer, Nesting, Sliding Foot Rest	29.0kg	£634.50

Info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



WT210



WT200



WT250

Resuscitation Trolleys - Mild Steel

Features

- Popular resuscitation trolley
- Drawer contents are secured when the lower cupboard is closed (security seal compatible)
- Supplied with a plastic drawer liner with dividers
- Recessed liquid retaining stainless steel work surface (usable 630 x 445)
- Lift up work flap (usable 305 x 455mm)
- Two hook infusion pole mounted to rear of trolley
- Low level bumper bar
- Push handles one end
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Drawers (internal)
 - 70mm - 600 x 430 x 70mm
 - 96mm - 600 x 430 x 96mm
 - 155mm - 600 x 430 x 155mm
- Lower Cupboard (internal)
 - 625 x 475 x 295mm

Standard Colours

- Paint - Red
- Lift Up Flap - White

Closing the bottom cupboard door prevent drawers being opened. Securing the lower cupboard with optional security seals prevents the drawers being opened



WT210

Item	Description	Overall Dimensions (w x d x h)	Weight	Price
WT200	2 x 70mm & 1 x 155mm Deep Drawers, Lower Cupboard	825 x 575 x 955mm	74.0kg	£972.36
WT210	3 x 96mm Deep Drawers, Lower Cupboard	825 x 575 x 955mm	75.1kg	£1,022.58
WT250	4 x 70mm & 1 x 155mm Deep Drawers, Lower Cupboard	825 x 575 x 1165mm	86.0kg	£1,098.72

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Cardiac Board

Features

- Laminate cardiac board approx 500 x 400 x 17mm, complete with fixing brackets
- Positioned at the rear of the trolley for easy access
- Factory fitted

Item	Description	Weight	Price
WT/CBOARD	Cardiac Board	1.5kg	£38.88



Cylinder Holders

Features

- WT/CYL/D/E compatible with AD, CD, D, DD, PD, RD, ZD & E cylinders, max diameter 100mm
- WT/CYL/F compatible with F, LF, VF, HX & ZX cylinders, max diameter 145mm
- Maximum two cylinder holders per trolley
- Factory fitted

Item	Description	Weight	Price
WT/CYL/D/E	D/E Size, Max Diameter 100mm	3.0kg	£59.40
WT/CYL/F	F Size, Max Diameter 145mm	3.4kg	£83.16



WT/CYL/D/E

WT/CYL/F

Drawer Tidy

Features

- Plastic drawer liner with removable dividers
- One tidy supplied as standard with each trolley

Item	Description	Weight	Price
2PLCO019	Drawer Tidy	1.5kg	£36.54



Security Seals

Features

- Snap on plastic security
- Pack of 100

Item	Description	Price
2PLCO026	Security Seals, pack of 100	£14.94



info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Four Gang Socket

Features

- Switched & fused four gang socket
- Supplied with 3 metres of beige cable & fitted with a UK 3 pin plug
- Fitted to the rear of the trolley, complete with a plate to secure the cable when not in use
- Factory fitted



Item	Description	Weight	Price
E/SOCKET/4	Four Gang Socket	1.4kg	£123.48

Guard Rail

Features

- Stainless steel guard rail
- Increases the height of the trolley by 60mm
- Compatible with WT200, WT210 and WT250 models
- Factory fitted



Item	Description	Weight	Price
G/RAIL-C	Guard Rail	1.5kg	£35.10

Heavy Duty Castors

Features

- Offers additional cushioning, lowering noise levels
- Supplied as a set of 4 castors
 - 2 x Braking, 2 x Non-Braking
 - 4 x Non-Braking
- Factory fitted
- 125mm Castor

Item	Description	Weight	Price
C011	Heavy Duty Pressed Steel, 4 x Non-Braking (set of 4)	4.0kg	£36.00
C012	Heavy Duty Pressed Steel, 2 x Braking, 2 x Non-Braking (set of 4)	5.0kg	£46.80



Item	Description	Overall Dimensions (w x d x h)	Weight	Price
BLECCRP2	1 x 76mm, 3 x 152mm Drawers	965 x 575 x 984mm	90.0kg	EPOA
BLECCRP3	2 x 76mm, 1 x 152mm, 1 x 229mm Drawers	965 x 575 x 984mm	90.0kg	EPOA
BLECCRP4	2 x 76mm, 1 x 152mm, 1 x 305mm Drawers	965 x 575 x 1070mm	99.0kg	EPOA

Resuscitation Carts - Polymer, Metro Lifeline™

Features

- Range of pre-configured emergency carts
- Incorporates Microban offering antimicrobial protection
- Lightweight polymer construction with smooth rounded corners to assist cleaning
- Single seal mechanism secures the top compartment, drawers and tilt out side bins (security seal compatible)
- Top storage compartment with clear removable cover provides instant access to first line equipment
- Strapless defibrillator platform on swing arm adjusts to accommodate various models
- Full extension lightweight polymer drawers, depths 76, 152, 229 & 305mm, (max load 24kg)
- Ergonomic handle with fifth wheel steering provides maximum control when attending an emergency situation
- Two tone colour keyway
- 125mm castors, 2 off braking

Overall Dimensions (w x d x h)

- Drawers - 514 x 432 x 76 / 152 / 229 / 305mm (internal)

Standard Colours

- Body - Code Blue
- Drawers - Light Taupe/Code Blue

Options

- 8FL190 - Drawer Label Holders (x 10)



defibrillator and accessories not included

	BLECCRP2	BLECCRP3	BLECCRP4
Top Cavity Tray		✓	
Locking Side Bin		3	3
Waste Basket (28 Litre)	✓		
Lockable Sharps Container	✓		
Adjustable Defibrillator Tray	✓		✓
Suction Pump Shelf		✓	
Backboard (Front Fitting)		✓	✓
Backboard (Rear Fitting)	✓		
Oxygen Cylinder Holder	✓	✓	✓
Two Hook Infusion Pole	✓	✓	✓
Storage Bin	✓	✓	✓
Plastic Security Seals (x 100)	✓	✓	✓



8FL21P3369 (shown with optional two hook infusion pole, oxygen cylinder holder & defibrillator platform)

Resuscitation Carts - Polymer, Metro Flexline™

Features

- Lightweight polymer construction with smooth rounded corners to assist cleaning
- Incorporates Microban® offering antimicrobial protection
- Upper work surface provides a writing surface/space for preparation work
- Single seal mechanism secures the drawers (security seal compatible)
- Full extension lightweight polymer drawers, depths 76, 152, 229mm (max load 24kg)
- Two tone colour keyway
- 125mm castors, 2 off braking

Dimensions (w x d x h)

- Drawers - 514 x 432 x 76 / 152 / 229mm (internal)

Standard Colours

- Body - Light Taupe
- Drawers - Light Taupe/Red

Options

- 8FL141 - 76mm Egg Crate Style Drawer Divider Kit (10 x Vertical, 5 x Horizontal)
- 8FL142 - 152mm Egg Crate Style Drawer Divider Kit (10 x Vertical, 5 x Horizontal)
- 8FL315 - Two Hook Infusion Pole
- 8FL234 - 100mm Diameter Oxygen Cylinder Holder
- 8FL190 - Drawer Label Holders (x 10)
- 8LEC320 - Plastic Security Seals (x 100)
- 8LEC304 - Defibrillator Platform

Item	Description	Overall Dimensions (w x d x h)	Weight	Price
8FL21P3369	2 x 76mm, 1 x 152mm, 1 x 229mm Drawers, Red Drawer Pulls, Security Seal Lock	819 x 568 x 914mm	88.0kg	EPOA

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Airways / Difficult Intubation Trolley - Mild Steel

Features

- Designed specifically for airways / difficult intubation in conjunction with resuscitation officers
- Recessed liquid retaining top
- Available as non-locking or fitted with a side mounted tamper evident panel to secure the contents of the drawers (security seal compatible)
- 135mm deep drawers, fitted on full extension glides (max load 30kg per drawer)
- Two accessory rails fitted to L/R side
- Low level corner bumpers to protect the fabric of the building
- 80mm heavy duty castors, 2 off braking

Dimensions (w x d x h)

- Overall - 615 x 500 x 915mm
- Drawers - 480 x 375 x 135mm (internal)

Standard Colours

- Body - White
- Drawers - White

Options (accessory rail mounted)



Item	Description	Weight	Price
MW010	5 x 125mm Drawers, Non Locking	55.0kg	£702.00
MW015	5 x 125mm Drawers, Tamper Evident Panel	57.0kg	£760.50

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



MW010

m



Brackets are available to support most of the popular UK Sharps Boxes

*Sharps box not supplied **Sharps box & bracket not supplied



Sharps Box Holder*	Daniels Healthcare Up to 5L**	Sharpak Healthcare**	Frontier (SharpSafe)**	Daniels Healthcare 7L & Above**
--------------------	-------------------------------	----------------------	------------------------	---------------------------------

Sepsis Trolleys - Single & Double Door

Features

- Trolleys designed for use when treating Sepsis
- Supports delivery of 'The Sepsis Six' with clearly defined locations for equipment used in each of the stages
- Door/s fitted with either:
 - Electronic (battery operated) Push Button Lock - Customer can set their own separate user, master, submaster & technician access codes
 - High Security Bolt Lock - Supplied with two keys
- Trolleys supplied with door shelves (useful storage for antibiotics etc) & an A4 document holder
 - Single Door - 2 x door shelves / 1 x A4 document holder
 - Double Door - 5 x door shelves / 1 x A4 document holder
- Six labelled drawers (Oxygen / Blood Cultures / Intravenous Antibiotics / Intravenous Fluid / Haemoglobin & Lactates / Urine Measurement)
- Optional 'Sharps Box Holder' or 'Universal Sharps Box Bracket Mounting Plate' (fits to the left side of the trolley)
- Sharps Box Holder - Accepts up to seven litre capacity sharps boxes (customer to fit - fixings supplied)
- Universal Sharps Box Bracket Mounting Plate - Compatible with (customer to supply the plastic brackets & fit - fixings supplied)
 - Daniels Healthcare
 - POUDS® Wall-Bracket (up to 5L) - SHARPSGUARD® mini, 1, 2, 5, 3.75, 5 & com plus
 - POUDS® Wall-Bracket (7L & above) - SHARPSGUARD® 7, 11.5 & 22
 - Frontier (SharpSafe) - 2, 3, 4 & 7
 - Sharpak Healthcare - Sharpak 18, 35, 60, 120 & 220 PLUS
- Upper work surface
- Push handles incorporate integral buffers
- 125mm polymer swivel castors
- When not in use, trolleys storing medicines should be secured to the wall. See option MT/1/6F Security Clamp

Dimensions (w x d x h)

- Single Door Trolley: 508 x 526 x 1072mm
 - Drawer: 338 x 297 x 115mm
- Double Door Trolley: 708 x 526 x 1072mm
 - Drawer: 538 x 297 x 115mm

Standard Colours

- Paint - Grey
- Work Surface - Orange

Description	Weight	High Security Bolt Lock	Price	Electronic Push Button Lock	Price
Single Door, Six Drawer	53.4kg	SEPS/6/HSB	£802.65	SEPS/6/EPB	£999.18
Double Door, Six Drawer	62.2kg	SEPD/6/HSB	£874.95	SEPD/6/EPB	£1,085.94

Options

Sharps Box Holder



Sharps box not supplied

- Accepts up to seven litre capacity sharps boxes
- Sharps box secured using a rubber band fitted with a toggle
- Attaches to the left hand side of the unit (customer to fit - fixings supplied)

Item	Description	Weight	Price
SEP/5BH	Sharps Box Holder	0.38kg	£19.05

Universal Sharps Box Bracket Mounting Plate



- Compatible with the following brackets (customer to supply the plastic brackets & fit - fixings supplied)
 - Daniels Healthcare
 - POUDS® Wall-Bracket (up to 5L) - SHARPSGUARD® mini, 1, 2.5, 3.75, 5 & com plus
 - POUDS® Wall-Bracket (7L & above) - SHARPSGUARD® 7, 11.5 & 22
 - Frontier (SharpSafe) - 2, 3, 4 & 7
 - Sharpak Healthcare - Sharpak 18, 35, 60, 120 & 220 PLUS

Item	Description	Weight	Price
SEP/USBBMP	Bracket Mounting Plate	0.16kg	£15.60

Security Clamp



- Allows the trolley to be secured to the 'fabric' of the building
- Requires no additional keys, utilises the trolley's own locking system
- One end is secured to the wall, the 'hook shaped' end is trapped by the door of the trolley when closed and locked
- Recommended wall fitting height 1000mm

Item	Description	Dimensions	Weight	Price
MT/1/6F	Security Clamp	Length - 950mm	0.75kg	£18.30

Drawer Inserts



- Set of plastic removable & repositionable dividers to assist segregation of drawer contents
- Supplied for self-assembly
- SEP/DIS - 2 x dividers providing 4 separate areas for Single Door Trolley
- SEP/DID - 4 x dividers providing 6 separate areas for Double Door Trolley
- Clip on label holders & plastic labels available to assist identification

Item	Description	Weight	Price
SEP/DIS	Drawer Insert - Set - Single Door Trolleys	0.49kg	£20.34
SEP/DID	Drawer Insert - Set - Double Door Trolleys	0.55kg	£27.11

Label Holders & Labels



- Plastic label holders & labels
- Assists identification of drawer contents
- Label holders snap onto drawer inserts/dividers
- Accepts ISO labels 40 x 60mm (w x h)
- Sold in packs of ten

Item	Description	Weight	Price
SEP/LH	Label Holder - 40 x 60mm	0.006kg	£8.28
SEP/L	Label - 40 x 60mm	0.001kg	£8.00

Sammy Sepsis Label

- Sammy the sepsis tiger label developed for use on Paediatric trolleys
- Compatible with both single & double door trolleys



Item	Description	Price
SEP/TIG01	Label - Sammy Sepsis Tiger	£28.02

info@nichens.co.uk | 08450 739409 | www.nichens.co.uk

info@nichens.co.uk | 08450 739409 | www.nichens.co.uk



Removable Body Bins - 20 / 50 Litre

Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification, (HTM07)
- Choice of construction...
 - Mild steel tubular frame & sheet metal body, painted for extra durability
 - 'Rust Free' - All stainless steel construction, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes

Overall Dimensions (w x d x h)

- 20 Litre - 267 x 346 x 552mm (8.5kg)
- 50 Litre - 444 x 397 x 551mm (11.5kg)

Standard Colours

- Paint - Grey Frame/White Body/Range of Lid colours available



Gas strut used on silent closing bins



'Rust Free' versions are constructed from painted stainless steel (frame, body & lid)



Raised flange & recessed lid used on hands free bins

Alternative lid colours are available. Change suffix 'WHL' on the product code with any of the following
i.e. Removable Body Bin - 20ltr, Hands free with a green lid - BR025/GNL

WHL White	GYL Grey	YEL Yellow	BKL Black	ORL Orange
PPL Purple	BNL Brown	GNL Green	BLL Blue	YTL Yellow & Black

Description	20 Litre	Price	50 Litre	Price
Hands Free	BR015/WHL	£59.55	BR045/WHL	£81.36
Hands Free & Silent Closing	BR020/WHL	£66.75	BR050/WHL	£90.00
Hands Free & Rust Free	BR025/WHL	£75.30	BR055/WHL	£110.34
Hands Free, Rust Free & Silent Closing	BR030/WHL	£82.50	BR060/WHL	£116.28

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Removable Body Bins - 75 / 90 Litre

Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- 'Hands free' design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning
- Available with 'Colour Coding' to assist refuse identification, (HTM07)
- Choice of construction...
 - Mild steel tubular frame & sheet metal body, painted for extra durability
 - 'Rust Free' - All stainless steel construction, painted for extra durability
- Silent closing versions are fitted with a gas damper to minimise noise when the lid closes

Overall Dimensions (w x d x h)

- 75 Litre - 444 x 397 x 781mm (15.0kg)
- 90 Litre - 444 x 397 x 910mm (17.0kg)

Standard Colours

- Paint - Grey Frame/White Body/Range of Lid colours available



Gas strut used on silent closing bins



'Rust Free' versions are constructed from painted stainless steel (frame, body & lid)



Raised flange & recessed lid used on hands free bins



Alternative lid colours are available. Change suffix 'WHL' on the product code with any of the following
i.e. Removable Body Bin - 75ltr, Hands free with a yellow lid - BR075/YEL

WHL White	GYL Grey	YEL Yellow	BKL Black	ORL Orange
PPL Purple	BNL Brown	GNL Green	BLL Blue	YTL Yellow & Black

Description	75 Litre	Price	90 Litre	Price
Hands Free	BR075/WHL	£87.30	BR105/WHL	£90.36
Hands Free & Silent Closing	BR080/WHL	£95.94	BR110/WHL	£99.00
Hands Free & Rust Free	BR085/WHL	£114.30	BR115/WHL	£119.99
Hands Free, Rust Free & Silent Closing	BR090/WHL	£123.30	BR120/WHL	£128.52

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



5MATABEAM3/SRD

Mata Beam Seating

Features

- Fixed seat
- Moulded polypropylene shell available in ten colours
- Black finish beam & legs
- Holes for floor fixing (fixings not supplied)
- Maximum capacity 120kg per seat

Dimensions

- Seat Height - 450mm

Replace suffix on the product code with any of the following to select your colour i.e. Three Seat in Red - 5MATABEAM3/SRD

Plastic Shell



Item	Description	Overall Dimensions	Weight	Price
5MATABEAM3	Three Seat	1400 x 510 x 830mm	25.0kg	£283.14
5MATABEAM4	Four Seat	1900 x 510 x 830mm	30.0kg	£329.94
5MATABEAM5	Five Seat	2400 x 510 x 830mm	35.0kg	£312.90

Prima Beam Seating



Features

- Fixed seat
- Choice of vinyl or fabric upholstery
 - Vinyl - Fire retardant & antimicrobial
 - Fabric - Fire retardant
- Black finish beam & legs
- Holes for floor fixing (fixings not supplied)
- Maximum capacity 203kg per seat

Dimensions (w x d x h)

- Seat Height - 480mm

Options

- 510065 - Armrest (sold individually)



5PT332/FCT

5PF333/FRD

Replace suffix on the product code with any of the following to select your colour i.e. Fixed Beam Seat - Three Seat in Granite - 5PF333/FGE

Vinyl



Fabric



Description	Overall Dimensions	Weight	Vinyl	Fabric
Two Seat	1200 x 560 x 835mm	20.0kg	5PF332/V - £437.58	5PF332/F - £426.96
Three Seat	1800 x 560 x 835mm	25.0kg	5PF333/V - £618.84	5PF333/F - £618.84
Four Seat	2400 x 560 x 835mm	30.0kg	5PF334/V - £781.56	5PF334/F - £760.32
Five Seat	3000 x 560 x 835mm	35.0kg	5PF335/V - £948.24	5PF335/F - £921.60

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Standards & Symbols



Signifies that the product conforms with applicable European directives



Independently tested to UN3291 - Certificate of Packaging Performance for the Transportation of Clinical Waste



Independently tested to BS2881: 1989 (Security Level One) Specification for Cupboards for the Storage of Medicines in Health Care Premises



Signifies that the product has been tested to European standards for electromagnetic compatibility



Meets appendix A (Stability Requirements) of BS3619: 1976 Mobile Infusion Stands



Meets The Misuse of Drugs (Safe Custody) Regulations 1973



Flame Retardant



Meets BS1765: Part 1: 1990 Specification for general purpose bedside lockers for patients (with the exception of door hinges which are more robust and practical)



Resistant to Cold Liquids



Meets BS2483: 1977 Specification for overbed tables



Resistant to Mechanical Damage



Five Pin - BS3621 Anti Pick & Drill, Key Retaining Five Pin Cylinder Lock



Department of Health Green Book



Six Pin - BS3621 Anti Pick & Drill, Key Retaining Six Pin Cylinder Lock

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk

Colour Swatches

Paint



Laminate



Vinyl



Fabric



Melamine



Please note that due to discrepancies with colour reproduction the shades depicted here may differ slightly from the finished product

info@nichenhs.co.uk | 08450 739409 | www.nichenhs.co.uk



Niche Office Solutions Ltd
Our Focus Is You

Sales

08450 739409

Email

info@nichenhs.co.uk

Website

www.nichenhs.co.uk

Office Opening Hours

Monday to Friday, 09:00am to 17:30pm