

BATH AND SHOWER





Swan MkIII



Garvan



Largs

Deluxe shower chair

Ref. Swan MkIII Shower Chair *+

- Manufactured from anodised aluminium tubing
- Moulded plastic seat with handles
- Moulded plastic backrest
- Textured surface for added safety
- Height adjustable legs
- Non-marking, non-slip rubber tips

Adjustable shower chair

Ref. Garvan *+

- Plastic coated steel frame
- Armrests and padded backrest for safety
- Height adjustable legs for users of differing stature
- Non-marking, non-slip rubber tips
- Splayed legs for reassuring stability

Fold away shower chair

Ref. Largs *+

- Epoxy coated frame
- Plastic moulded backrest
- Moulded gap front seat
- Height adjustable legs
- Fixed armrests
- Folds flat for storage



*"If it's easy to clean
it will be cleaned"*

Seat Width	500mm (20")
Seat Depth	300mm (12")
Seat Height	490-570mm (18-22")
Depth	460mm (18")
Width	500mm (20")
Height	790-870mm (31-34")
Weight of Product	4kg
Max User Weight	100kg (15st)

Depth	510mm (20")
Width	710mm (28")
Height	710-870mm (28-34")
Seat Height	460-610mm (18-24")
Seat Width	510mm (20")
Seat Depth	270mm (11")
Weight of Product	6.5kg
Max User Weight	127kg (19st)

Depth	460mm (18")
Width	520mm (20")
Height	820-940mm (32-37")
Seat Height	480-600mm (19-24")
Seat Depth	370mm (14")
Width Between Arms	430mm (17")
Weight of Product	6kg
Max User Weight	100kg (15st)

Fully synthetic frame

Quick and easy to decontaminate

Over 10 years of proven service



If you are forever replacing rusty shower chairs, this model is for you - only the water goes down the drain, not your budget!



Ready to clean in 20 seconds

Shower chairs - fixed or adjustable height with hinged arms

Ref. Stalham "Just" Shower Chair *+



For quantities of 20 or more, arm/footrests can be colour code grey, red, claret or blue. Please note that blue is standard.

- Reduces cross infection having a fully synthetic frame which doesn't chip or rust
- Lightweight and can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms
- Fixed or adjustable height models
- Vulcanised rubber overseat - no upholstery
- Comfortable cut away aperture front - safe, detachable and easy to clean
- Safe for users up to 20 stone (130 kg)
- Non slip rubber feet
- Decontamination tags & arm pads available



Supplied to the NHS



Infection control

Extras available...



Arm pads (pair)



Decontamination tags

	Fixed Height	Adjustable Height
Height	1020mm	1020-1060mm
Width	570mm	570mm
Depth	620mm	620mm
Seat Width	460mm	460mm
Aperture Seat Height	510mm	480-530mm
Max User Weight	20st (130kg)	20st (130kg)



Heavy duty shower chair

Ref. Kenmore *+

- Heavy duty steel frame
- White plastic seat
- Chunky rubber ferrules for safety
- Fixed armrests

Heavy duty adjustable height shower chair

Ref. Swan HD MkIII *+

- Heavy duty steel frame
- Comfortable seat
- Backrest support
- Adjustable in height
- Adjustable in depth

Fixed or adjustable height shower chairs

Ref. Kelly F/A *+

- Plastic coated tubular steel frame
- Comfortable patio type shell seat
- Fixed armrests
- Non-marking, non-slip rubber ferrules
- Fixed or adjustable height models available



"If it's easy to clean it will be cleaned"

NHS Supplied to the NHS

Depth	590mm (23")
Width	620mm (24")
Height	830mm (33")
Seat Height	460mm (18")
Seat Depth	360mm (14")
Width Between Arms	530mm (21")
Weight of Product	7kg
Max User Weight	195kg (30st)

Depth	480-520mm (19-20.5")
Width	510mm (20")
Seat Height	370-520mm (14.5-20.5")
Seat Depth	310mm (12")
Seat Width	520mm (20.5")
Weight of Product	5kg
Max User Weight	228kg (35st)

	Fixed Height	Adjustable Height
Depth	590mm	590mm
Width	530mm	530mm
Height	750mm	750-910mm
Seat Height	410mm	410-560mm
Seat Depth	360mm	360mm
Width Btwn Arms	470mm	470mm
Product Weight	5.5kg	5.5kg
Max User Weight	140kg (22st)	140kg (22st)



Deluxe shower stool

Ref. Swan MkIII Shower Stool *+

- Manufactured from anodised aluminium tubing
- Moulded plastic seat with handles
- Textured surface for added safety
- Height adjustable legs
- Non-mark, non-slip rubber tips



Adjustable shower stools

Ref. Primrose MkIII *+

- Plastic coated steel frame
- Side handles for added safety
- Height adjustable legs
- Non-mark, non-slip rubber tips
- Available with fixed steel seat or detachable clip on seat



Folding shower bench

Ref. Swan Folding *+

- Blow moulded seat
- Drainage and hand holes
- Lightweight aluminium frame
- Folding design for easy storage
- Angled legs for stability



*"If it's easy to clean
it will be cleaned"*

NHS Supplied to the NHS

Seat Width	500mm (20")
Seat Depth	300mm (12")
Seat Height	490-570mm (18-22")
Depth	460mm (18")
Weight of Product	4kg
Max User Weight	100kg (15st)

Depth	370mm (15")
Width	560mm (22")
Height	570-710mm (22-28")
Seat Height	490-640mm (19-25")
Seat Width	410mm (15.5")
Weight of Product	4.3kg
Max User Weight	190kg
Detachable Weight	3.6kg
Max User Weight	125kg (19st)

Seat Width	500mm (20")
Seat Depth	330mm (13")
Seat Height	450mm (18")
Depth	380mm (15")
Width	380mm (15")
Weight of Product	4kg
Max User Weight	100kg (15st)



Mobile shower chair with detachable arms

Ref. Henderson *+

- Steel frame with durable plastic coated finish
- Arms are fully detachable to facilitate transfer
- Comfortable, one piece plastic shell seat
- "H" section above castor level to prevent the legs from splaying
- Four total lock brake castors are fitted for safety
- Economically priced and easy to manoeuvre



Fully Detachable Arms

Height	860mm (34")
Width	550mm (22")
Depth	610mm (24")
Seat Height	480mm (19")
Seat Width	460mm (18")
Seat Depth	360mm (14")
Castor Size	130mm (5")
Max User Weight	140kg (22st)
Product Weight	10kg



Mobile shower chair with fixed arms

Ref. Malcoff *+

- Plastic coated steel frame
- Fixed arms
- Comfortable, one piece, patio shell seat
- "H" section above castor level to prevent the legs from splaying
- Fixed armrests
- Four total lock brake castors

Depth	540mm (21")
Width	550mm (22")
Height	830mm (32")
Seat Height	460mm (18")
Seat Width	430mm (17")
Seat Depth	360mm (14")
Max User Weight	140kg (22st)
Product Weight	6.5kg



Fully synthetic frame

Quick and easy to decontaminate

They never rust!

Attendant operated or self propelling shower chairs

Ref. Stalham "Just" Shower Chair Attendant/
Self Propelled *+

	Attendant	Self Propelling
Height	1020mm (40")	1020mm (40")
Width	570mm (22")	720mm (28")
Depth	600mm (24")	750mm (29")
Seat Height	510mm (21")	510mm (21")
Seat Width	470mm (18")	470mm (18")
Seat Depth	400mm (16")	450mm (18")
Arm Height	260mm (10")	260mm (10")
Back Height	520mm (20")	520mm (20")
Castor Size	130mm (5")	130mm (5")
Rear Wheel Size	130mm (5")	590mm (23")
Max User Weight	20st (130kg)	20st (130kg)
Product Weight	14.5kg	22kg

- Attendant operated or self propelling models
- Reduces cross infection by having fully synthetic frames which don't chip or rust
- Massive long term financial savings - they don't rust and need replacing
- Lightweight and can be easily stripped down
- Locking, swing down arms - smooth, lateral transfer
- Vulcanised rubber overseat - no upholstery
- Comfortable cut away aperture front - safe, detachable and easy to clean - assists in personal hygiene
- Attendant model has four total lock brakes, self propelling model has two rear brakes
- Safe for users up to 20 stone (130 kg)
- Decontamination tags & arm pads available as extras


Extras available...



Arm pads (pair)



Decontamination tags



For quantities of 20 or more, arm/footrests can be colour code grey, red, claret or blue. Please note that blue is standard.



Stalham shower & tub-seat chair

Ref. Stalham Tub Seat Chair *+

Extras available...



Arm pads (pair)



Decontamination tags

- For seated bathing, washing and hygiene of the lower abdominal area
- Fully synthetic frame which doesn't chip or rust
- Aluminium back with PUR backrest and wide pushing handle
- Locking, swing down arms - smooth transfer
- Comfortable cut away aperture front - safe, detachable, easy to clean - for personal hygiene
- Four 3" swivel castors with brakes and fixed direction locks
- Safe for users up to 20 stone (130 kg)
- Decontamination tags & arm pads extra

Height	1040mm (41")
Width	750mm (29")
Depth	900mm (35")
Aperture Height	650mm (25")
Seat Width	640mm (25")
Seat Depth	480mm (19")
Arm Height	260mm (10")
Back Height	520mm (20")
Castor Size	75mm (3")
Toilet Clearance Height	470mm (18")
Max User Weight	20st (130kg)
Product Weight	20kg



A shower chair and bidet

NEW

Infinite reclining positions

Great at the bedside or in the shower

Easy, safe operation



adjustable headrest




recline lock



swinging armrests

Stalham multifunctional wheelchair

Ref. Stalham Wheelchair *+



For quantities of 20 or more, arm/footrests can be colour code grey, red, claret or blue. Please note that blue is standard.



Infection control

- Multifunctional wheelchair for the bedside or in the shower
- Easy operation - simple locking mechanism with infinite variable tilt adjustment reclines the back /seat areas and raises the legs
- The adjustable height headrest has off-centre rotation for comfort
- Positive locking armrests swing down for transfer
- Footrests are adjustable in height, swinging and detachable
- Four total lock brake castors are fitted for safety
- Hygienic PU pads fitted for comfort
- Predominantly synthetic non rust frame for longevity

Extras available...




Arm pads (pair)



Decontamination tags

Safety belts for chest & pelvis and/or leg belt



Depth	1100 mm
Width	650 mm
Seat Depth	400 mm
Seat Height	570 mm
Seat Width	450 mm
Weight	28.8 kg
Max User Weight	150 kg (23 st)



Tredegan



Cargill



Aldwalk

Wall mounted shower seats

Ref. Tredegan *+

- Plastic coated steel frame
- Padded seat
- Folds flat to wall when not in use
- Fixed height wall bracket
- Height adjustable legs
- Available with or without legs

Wall mounted, gap front, lift up shower seat

Ref. Cargill *+

- Epoxy coated aluminium frame
- Moulded plastic gap front seat
- Folds flat to wall when not in use
- Fixed height wall bracket
- Height adjustable legs

Wall mounted shower seats

Ref. Aldwalk *+

- Plastic coated steel frame
- Blow moulded plastic seat with hand holes
- Folds flat to wall when not in use
- Hand holds in seat
- Available without legs

Seat Height	480-560mm (19-22")
Seat Width	330mm (13")
Seat Depth	290mm (11")
Weight of Product	4kg
Max Weight (Legs)	160kg (25st)
Max Weight (No Legs)	100kg (15st)

Height	900-980mm (35-39")
Seat Width	460mm (18")
Seat Depth	320mm (13")
Weight of Product	4.9kg
Max User Weight	160kg (25st)

	No Legs	Legs
Seat Width	380-530mm (15-21")	490mm (19")
Seat Depth	280mm (11")	280mm (11")
Seat Depth from Wall	380mm (15")	380mm (15")
Max User Weight	114kg (17st)	160kg (25st)



Almondsbury

Wall mounted shower seat

Ref. Almondsbury *+

- Epoxy coated aluminium frame
- Clip-on/off moulded seat for thorough cleaning
- Fixed height wall bracket
- Height adjustable legs

Seat Width	460mm (18")
Seat Depth	370mm (15")
Seat Height	480-560mm (19-22")
Depth from Wall-Open	420mm (17")
Depth from Wall-Closed	100mm (4")
Weight of Product	3.5kg
Max User Weight	160kg (25st)



Fewston

Rotating bath seats - 4 widths

Ref. Fewston 25/26/27/28 *+

- Plastic coated steel construction
- Comfortable patio shell seat
- Positioned over bath
- Securing bolt
- Seats lock in 4 positions
- Stainless steel locking handle and plate prevent corrosion
- Available in 4 widths

Seat Width	400mm (16")
Seat Depth	390mm (15")
Depth	580mm (23")
Width Between Arms	480mm (19")
Weight of Product	7kg
Max User Weight	125kg (19st)
Small Width	635mm (25")
Medium Width	666mm (26")
Large Width	685mm (27")
Extra Large Width	710mm (28")



Selkirk

Wall mounted shower seat with arms & back

Ref. Selkirk *+

- Epoxy coated aluminium frame
- Clip-on moulded seat and backrest for through cleaning
- Flip-up padded armrests can be raised independently for lateral transfer
- Fixed height wall bracket
- Height adjustable legs

Depth	540mm (21")
Width	590mm (23")
Height	900-980mm (35-39")
Seat Height	480-560mm (19-22")
Seat Width	460mm (18")
Seat Depth	320mm (13")
Width Between Arms	490mm (19")
Product Weight	4.9kg
Max User Weight	160kg (25st)



Perching shower stools - 4 models

Ref. Petham *+

- Epoxy coated steel tubing
- Moulded ribbed seat
- Height adjustable
- Non-marking, non-slip rubber tips

Dual purpose, can be used in the shower, kitchen or anywhere where seating is needed for short periods

Front Edge Seat Height	560-710mm (22-28")
Seat Depth	280mm (11")
Seat Width	370mm (15")
Height (Top of Back Rest)	870-970mm (34-38")
Max User Weight	125kg (19st)
Pentham N Weight	3.9kg
Pentham AB Weight	5.4kg
Pentham ABP Weight	5.5kg
Pentham A Weight	4.6kg



Anglesey

Adjustable bath seat

Ref. Anglesey*+

- Moulded seat area
- Adjustable width
- Paddles adjust to fit most baths
- Plastic coated steel construction
- Hygienic plastic seat

Seat Depth	220mm (9")
Seat Width	400mm (16")
Width Adjustable	440-500mm (17-20")
Weight of Product	2kg
Max User Weight	100kg (15st)



Preesall

Heavy duty bath board with handle

Ref. Preesall *+

- One piece plastic moulded
- Perforated for easy drainage
- Side handle for added safety
- Pegs adjust to fit most baths
- Hygienic and rust proof

Width	700mm (28")
Depth	300mm (12")
Height (Top of Handle)	140mm (5")
Adjustable in Bath	410-630mm (16-25")
Weight of Product	3kg
Max User Weight	190kg (29st)



Pudsey

Heavy duty bath board

Ref. Pudsey *+

- Plastic coated steel construction
- Adjusts to fit most bath sizes
- Perforated for easy drainage
- Pegs adjust to fit most baths

Width	666mm (26")
Depth	310mm (12")
Weight of Product	3.6kg
Max User Weight	200kg (31st)



Sheldon

Bath thermometer

Ref. Sheldon

- So easy to use, just place in the bath and adjust the water to the required temperature
- Spirit filled on plastic moulding
- Width 130mm (5")



Fraser


Bath thermometer

Ref. Fraser

- Designed to make bathing safer this thermometer has a built in water-sampling cup to act as a "double" check
- Integral slot for hanging
- Width 230mm (9")



Quebec



Grab bars plastic coated



Grab bars chrome

Bath step with handrail

Ref. Quebec H *+

- Chromium plated steel construction
- Non-slip ribbed rubber platform
- Reinforced rubber tips

Height	230mm (9")
Depth	350mm (14")
Step Width	360mm (14")
Step Depth	290mm (11.5")
Height (handrail from floor)	990mm (31")
Max User Weight	100kg (15st)

Grab bars

Ref. Grab Bars *+

- Steel grab bars available in 12", 18", 24" & 32" lengths
- Can be supplied with a plastic coated or chromium plated finish (with knurled grips)
- They have three fixing holes in each flange for safety