


BEDS AND BED ACCESSORIES





Standard divan bed on legs and headboard

Ref. Alfreton Std &
Royal Headboard



Fabric
choice

- Really comfortable single size divan bed
- Quality sprung mattress with deep quilted Stitch-bond (not waterproof) cover for occupant comfort
- Base is mounted on six legs which have two glides fitted at the centre and two at the foot end. A pair of castors are fitted to the head end and this combination helps not only with moving the bed for cleaning but caters for close nursing to assist the bed-bound
- The Alfreton bed includes mattress and base however if you wish to order just a mattress the order reference for this is Ref. Eastfield
- The Royal headboard is comfortably padded, quality twin piped and fitted in seconds. There's a great choice of modern, traditional and practical fabrics at your fingertips

*"I have been a customer for about 10 years.
Service is always excellent. Thank you."*
St. Josephs Nursing Home, Essex

Height	360mm (14")
Width	910mm (36")
Length	1930mm (76")
Max User Weight	114kg (18st)
Product Weight	17kg



Additional/replacement mattresses
are available Ref. Eastfield



Water resistant divan bed on legs and headboard

Ref. Alfreton WR & Royal Headboard



Fabric choice

- Water resistant bed suitable for nursing home, residential home or home nursing
- The quality covering used on the mattress and base is "breathable" for user comfort not PVC which inevitably causes sweating and discomfort
- Base is mounted on six legs which have two glides fitted at the centre and two at the foot end. A pair of castors are fitted to the head end and this combination helps not only with moving the bed for cleaning but caters for close nursing to assist the bed-bound
- The Alfreton Wat bed includes mattress and base however if you wish to order just a mattress the order reference for this is Ref. Haringey
- The Royal headboard is comfortably padded, quality twin piped and fitted in seconds. There's a great choice of modern, traditional and practical fabrics at your fingertips

Height	360mm (14")
Width	910mm (36")
Length	1930mm (76")
Max User Weight	114kg (18st)
Product Weight	17kg



Additional/replacement mattresses are available Ref. Haringey



High/very high risk pressure relieving mattress

Ref. Softform Premier Original *+

- Effective pressure ulcer prevention. The mattress features a castellated insert that's constructed from geometric cut surface cells. These move independently to provide excellent patient comfort, reduce shear and friction and optimise pressure reduction, all of which minimises the build up of heat and moisture.
- The outer cover is made from a multi-stretch, waterproof, polyurethane fabric that features high-frequency welded seams and a full-length flap to conceal its zip. These key elements combine to prevent fluid entering into the mattress. The base of the mattress also features a toughened polyurethane coating to further increase its lifespan.



Full-length flap conceals zip By concealing the mattress's zip with a full-length flap, the risk of fluid reaching and contaminating the foam core is significantly minimised.



"If it's easy to clean it will be cleaned"



Single piece foam "U" core. This makes the transferring of patients easier by providing effective side-wall support. The robust foam base also prevents the mattress from bottoming out.

This mattress does not require turning, significantly minimising manual handling issues



Length
2000mm (78")



Width
880mm (34")
or 855mm (33")




Height
152mm (6")



Maximum
user weight
247kg (39st.)



Weight
13kg (2st)



Cleaning 80
degrees

Just four quick and easy steps to set up the mattress



Step 1
Detach the pipes from foot end of the mattress



Step 2
Fit pipes to the digital pump



Step 3
Switch on (no extra adjustments required)



Step 4
The patient is now on an alternating surface



Cost-saving modular construction

The tubes that supply air to the cells sit in securely designed channels, providing added comfort. The top cover, bottom cover, foam insert, blue U core and individual air cells are all easily replaceable.



Very high risk dynamic pressure relieving mattress

Ref. Softform Premier Active 2 *+



Air cells

If accidental puncturing occurs, individual air cells can easily be replaced on a ward.



Power failure

If a power failure occurs, a patient is still resting on a "very high risk" pressure reducing surface, minimising potential pressure damage.



Intelligent software

You can view the status of the mattress via the LCD screen on the pump, which can be hung on a wide range of bed ends.



Cable and hose management

If not in use, the air hose can be fastened out of the way.



Protected pump hose

The pipes are fully covered with a welded sleeve for effective infection control.



- As a static surface, the Softform Premier Active 2 mattress offers excellent relief to patients at risk of developing pressure ulcers. But with a discreet pump, it can be transformed into a dynamic surface providing additional levels of pressure relief. This doesn't require the transferring of a patient, minimising discomfort and manual handling. It also features a robust Strikethrough cover, which can withstand the rigorous demands of modern acute, community and residential care environments.
- The cover is made from a highly chemically resistant polyurethane polymer, which is very difficult to damage. It swells very little when fluid comes into contact with it and reverts to its natural state very quickly after cleaning. Its material is multi-stretch, breathable and waterproof with corner welds and prevents the accumulation of dust and liquid residues.
- The mattress's digital pump and air cells mean alternating between a static and dynamic surface can occur with minimum disruption. It only takes 10 minutes for the change to take place, during which patient comfort remains high and effective pressure relief is provided.

Warranties

Foam 8 years - Cover 4 years

Pump 2 years - Insert - 2 years



864mm
(34")



1955mm
(76")




152mm
(6")



14kg



Max. Weight
247.6 kg



Cleaning:
80 degrees

Please note: the cover is not Strikethrough proof. Misuse or incorrect care and handling can cause damage to the mattress cover.



4 Section profiling bed

Ref. Accent *+



Full-length wooden side rails are easy to mount without the need for tools




Easy to use hand controls provide maximum comfort and positioning

- One of the best value bed of its kind on the market
- Safety, functionality and comfort controlled by an easy-to-use handset
- Reliable - meets the highest standards for medical beds (IEC 6061-2-52)
- Specially designed mattress platform offering maximum support and appealing design, making it ideally suited to residential and care environments
- High-quality components that guarantee easy and safe operation for many years - backed by a 2 year warranty
- The optimised dimensions of the bed's mattress platform reduce shear and friction so occupants enjoy increased comfort when sitting up and don't slip down the bed

Safety notice

The tilt function of the bed should only be operated under medical supervision. The bed should not be used by patients under 12 or whose body size is equivalent or smaller to that of an average 12-year-old.




Width outside
1020mm (40")
Width inside
900mm (35")



Length outside
2240 mm (88")
Length inside
2080mm (82")



Height
adjustment
400-800mm
(16-31")



Mattress support
dimensions
800-230-300-
670mm (31-9-
12-26")



0-70 degree
Backrest angle



0-24 degree
Thigh angle



64 kg (10st)



Safe working load
180kg (28st)
Max. user weight
145kg (22st)



Heaviest part of
product 17kg
(2st 9lbs)



Beech finish

Low nursing care bed

Ref. Penley Low *+



Maple



Cherry



Walnut



Beech



Purple vinyl headboard



Green vinyl headboard



Cherry vinyl headboard



Brown vinyl headboard



Taupe vinyl headboard

Customising:
Oak is standard however Maple, Cherry, Walnut & Beech are available
Five vinyl covered headboards are also offered in addition
Please note that if you would like to customise your beds the minimum order quantity is five.



Folds for transportation or storage

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings

- Low height, attractive appearance with high quality covered wooden head and foot ends plus full length integral wooden side rails
- Electrically operated and profiling for both ease of patient access and to ease the work of the carer by reducing patient lifting and handling - this is operated by a lockable handset
- Variable in height with infinitely variable tilt and reverse tilt positioning its quick and easy to assemble even within limited space
- Adjustable, self locking side rails can be released at both head and foot ends
- The bed disassembles into 4 pieces for storage
- 3 year manufacturers warranty (1st year parts & labour, 2nd & 3rd year parts only)



Penley grab handle *+ available as extra. Designed specially to attach to the framework not clashing with the side rails during their up or down moment. Will assist in the elevation of a user to the seated position or during transfer



Penley extension kit *+ available as extra. Offers taller occupants a safer and more comfortable experience.

Height Adjustable (to Mattress Platform)	190-580mm (8-30")
Width	1055mm (42")
Length	2250mm (88")
Max User Weight	180kg (28st)



Deluxe low homecare bed

Ref. Kelston *+



Patient helper with trapeze handle included

- High and low adjustment height
- Backrest and knee break can be operated automatically and independently
- Extra ratchet leg angle adjustment
- Four position mattress support multi-adjustable
- Two independent drop down rails
- Natural beech finish - heavy duty steel frame
- Easy to use control
- Fully adjustable backrest
- 4 brake castors
- Patient helper with adjustable trapeze handle
- Left or right locators

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings

DIMENSIONS

Overall Length	2140mm (84")
Overall Width	1020mm (41")
Bed End Height	770-1370mm (30-54")
Overall Height with Patient Helper	1450-2220mm (56-87")

MATTRESS SUPPORT

Length	1900mm (75")
Width	790mm (31")
Height	200-800mm (8-31")

SIDE RAIL

Height Above Mattress Support	150-430mm (6-17")
Max User Weight	175kg (27st)
Weight of Bed	110kg
Backrest Angle	65°
Pelvic Angle	40°
Knee Angle	130°



Deluxe homecare bed

Ref. Garford *+

- Heavy duty steel frame
- High and low adjustment height
- Backrest and knee break can be operated automatically and independently
- Extra ratchet leg angle adjustment
- Four position mattress support - multi-adjustable
- Two independent drop down rails
- Natural beech finish
- Easy to use control
- Fully adjustable backrest
- 4 brake castors
- Patient helper with adjustable trapeze handle
- Left or right locators
- Choice of mattresses - extra

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings

DIMENSIONS

Overall Length	2120mm (84")
Overall Width	1020mm (41")
Bed End Height	890-1295mm (35-51")
Overall Height with Patient Helper	1770-2220mm (69.5")

MATTRESS SUPPORT

Length	1900mm (75")
Width	840mm (33")
Height	400-810mm (15-31.5")

SIDE RAIL

Height Above Mattress Support	40-350mm (1.5-13.75")
Max User Weight	175kg (27st)



Beech finish

SUPPORTS
UP TO
50
STONE

Bariatric low nursing care bed

Ref. Penley Bari Low *+



Maple



Cherry



Walnut



Beech



Purple vinyl
headboard



Green vinyl
headboard



Cherry vinyl
headboard



Brown vinyl
headboard



Taupe vinyl
headboard

Customising:

Oak is standard however Maple, Cherry, Walnut & Beech are available

Five vinyl covered headboards are also offered in addition

Please note that if you would like to customise your beds the minimum order quantity is five.

- Robust and attractive bariatric bed with high quality covered wooden head and foot ends plus full length integral wooden side rails
- Electrically operated and profiling for both ease of patient access and to ease the work of the carer by reducing patient lifting and handling - this is operated by a lockable handset
- Variable in height with infinitely variable tilt and reverse tilt positioning its quick and easy to assemble even within limited space
- Adjustable, self locking side rails for extra safety can be released at both head and foot ends
- The bed disassembles into 4 pieces for storage
- 3 year manufacturers warranty (1st year parts & labour, 2nd & 3rd year parts only)



Extra: Penley Bariatric grab handle *+ is designed to attach to the framework not clashing with the side rails during their up or down moment. Will assist in the elevation of a user to the seated position or during transfer



Extra: Penley Bariatric extension kit *+ offers taller occupants a safer and more comfortable experience - includes longer side-rails

Height Adjustable (to Mattress Platform)	259-625mm (10-24")
Width	1360mm (53")
Length	2235mm (88")
Weight of Product	147kg (23st)
Max User Weight	320kg (50st)

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings



Oak finish

Standard nursing care bed

Ref. Penley *+



Maple



Cherry



Walnut



Beech



Purple vinyl headboard



Green vinyl headboard



Cherry vinyl headboard



Brown vinyl headboard



Taupe vinyl headboard

Customising:
Oak is standard however Maple, Cherry, Walnut & Beech are available
Five vinyl covered headboards are also offered in addition
Please note that if you would like to customise your beds the minimum order quantity is five.

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings

- Attractive domestic appearance with high quality covered wooden head and foot ends plus full length integral wooden side rails
- Electrically operated and profiling for both ease of patient access and to ease the work of the carer by reducing patient lifting and handling - this is operated by a lockable handset
- Variable in height with infinitely variable tilt and reverse tilt positioning its quick and easy to assemble even within limited space
- Adjustable, self locking side rails for extra safety can be released at both head and foot ends
- The bed disassembles into 4 pieces for storage
- 3 year manufacturers warranty (1st year parts & labour, 2nd & 3rd year parts only)



Extra: Penley grab handle *+ is designed to attach to the framework not clashing with the side rails during their up or down moment. Will assist in the elevation of a user to the seated position or during transfer



Extra: Penley extension kit *+ Offers taller occupants a safer and more comfortable experience - includes longer side-rails

Height Adjustable (to Mattress Platform)	390-790mm (15-31")
Width	1055mm (42")
Length	2140mm (84")
Max User Weight	180kg (28st)



Acute care hospital bed

Ref. Innov8 IQ *+

Order Refs:

Innov8 iQ Hospital Bed IQ/AQ

Innov8 iQ Hospital Bed with standard side rails
IQ/AQ/SR

Innov8 iQ Hospital Bed with high side rails
IQ/AQ/HSR

Accessories:

Innov8 iQ standard siderails IQ/SR

Innov8 iQ high siderails IQ/HSR

Innov8 lifting pole INNOV8/LP

Innov8 IV pole INNOV8/DP

Innov8 Traction - Balkan beam INNOV8/TBB

Innov8 Traction - foot end INNOV8/TFE



Infection control



Supplied to the NHS

Delivery costs are included to kerb side/ground floor and the bed can be assembled at a cost of £39 per bed. If delivery is required to above ground floor level please contact our Sales Department for an installation questionnaire and costings

Mattress Platform Length	2000mm
Mattress Platform Width	880mm
Outside Bed Length Standard	2260mm
Outside Bed Length Extended	2460mm
Outside Bed Width	1030mm
Max Height Mattress Platform	740mm
Min Height Mattress Platform	340mm
Min Height Panel Base	293mm
Overall Bed Weight	115kg
Safe Working	254kg (40st)
Max User Weight	190kg (30st)

High performance ward bed bringing together an in-depth understanding of the changing requirements of the acute sector with state of the art manufacturing and assembly methods

- Low height reduces risk of patient falls
- Simultaneous operation of cardiac chair and tilt functions combined with auto regression improves positioning, mobilisation and rehabilitation
- Backrest and mattress angle indicators
- Low height foot end to improve patient visibility
- Removable head and foot ends are available in several colours for ward management
- Easy access CPR handle with CPR mechanism
- Integral bed extension
- Accessible location of handset for patient
- Blow moulded panels – durable, smooth, wipeable
- Newly designed linen shelf is easy to operate
- Extremely lightweight bed - easy to move
- The built in diagnostics port allows for swift and easy maintenance procedures
- Brake bar/pedal ensures easy access from head or side of the bed
- Triple function castors enable brake, free and track



Patton



Rackham



Redford

Rest easy mattress stopper

Ref. Rackham *+

- Fits to foot end of bed
- Straps hold mattress securely
- Manufactured from plastic coated steel

Pillow lifter

Ref. Patton *+

- Easy to use hand control unit, allows precise positioning
- Breathable waterproof flame retardant mattress
- Emergency battery back-up in case of power loss
- Epoxy coated steel frame

Rest easy mattress elevator

Ref. Redford *+

- Electrically powered
- Simple to use hand control
- Gives independence to those with difficulty raising and lowering themselves in bed
- Adjustable width to suit most bed sizes
- Suitable for users weighing up to 255kg (40st)
- Emergency batteries allow up to 3 operations in the event of power failure

“Until this morning I thought that we had the best installation teams but it would appear that we have some competition. How refreshing it has been dealing with your company and what fine ambassadors your delivery chaps have proven to be.”

Design Company Director

Depth	330mm (13")
Width	510mm (20")
Height	300mm (12")
Weight of Product	1.5kg

Depth	970mm (38")
Width	580mm (23")
Height	85°
Weight of Product	15.1kg
Max User Weight	225kg (35st)

Width	950-1420mm (37-56")
Depth	710mm (28")
Max Lift Angle	85°
Max User Weight	255kg (40st)
Weight of Product	15kg



Brownlow



Eastburn



Caistor

Economy bed cradles

Ref. Eastburn *+

- Plastic coated steel
- Fits securely under mattress
- Large model available

Standard Depth	600mm (24")
Standard Width	230mm (9")
Height	480mm (19")
Weight of Product	1.7kg
Large Depth	740mm (29")
Large Width	330mm (13")

Bed support rails double loop

Ref. Brownlow *+

- Manufactured from chromium plated steel
- Fits under mattress
- Adjustable width
- Assist user to achieve comfortable position
- Model also available with straight handle in place of loops

Depth	980-1610mm (39-63")
Width	330mm (13")
Standard Height	415mm (16")
Weight of Product	3.5kg
Straight Handle Height	430mm (17")

Bed support rail

Ref. Caistor *+

- Plastic coated steel base
- Chromium plated adjustable handle
- Can be screwed to the floor or fixed directly to the bed frame
- Easy to use screw clamps
- Not suitable for electrical/adjustable beds

Clamp choice:
Short clamps (set of 2) 85mm (3.4")
Long Clamps (set of 2) 125mm (5")
Floor fixing clamps (set of 2)

Depth	330mm (13")
Width	1320mm (52")
Standard Height	330mm (13")
Weight of Product	3.5kg
Straight Handle Height	330mm (13")



Adjustable backrest

Ref. Baldersby *+

- Comfortable mesh back with integral head pad
- Plastic coated tubular steel frame
- Simply adjusts to six positions
- Folds flat

Adjustable height bed handle

Ref. Petersfield *+

- Chromium plated base
- Plastic coated steel height adjustable handle
- Easily adjusted with 'E' clips
- Secured under mattress

Patient helper

Ref. Penistone *+

- Epoxy coated heavy duty box section, steel frame
- Easily to dismantle
- Adjustable length strap with trapeze handle
- Aids patient comfort



*"If it's easy to clean
it will be cleaned"*

Depth	580mm (23")
Width	600mm (24")
Height	300-550mm (12-22")
Base Width	500mm (19")
Base Depth	500mm (19")
Weight of Product	2.7kg
Max User Weight	115kgs

Depth	620mm (24")
Width	540mm (21")
Height	600-750mm (24-30")
Weight of Product	2.7kg
Max User Weight	160kg (25st)

Height	600mm (24")
Hand Adjustment from Floor	230mm (9")
Depth	480mm (19")
Width	1.7kg
Weight of Product	740mm (29")
Max User Weight	110kg (17st)



Bed rail bumpers

Ref. Balmore *+

- Hygienic wipe clean finish
- Velcro fastening
- Available in two lengths
- Supplied in pairs
- For safety the bumpers must be removed before lowering the bed rails

Standard Length	1800mm (70")
Small Length	1350mm (53")