

COMMODOES AND TOILET AIDS



The number 1 choice
for an increasing
number of hospital
trusts in the UK



Ready to clean in 20 seconds



Platinum Award Winner

Adjustable height
for users of
varying statures
or when clearance
is needed over
wall mounted
toilet porcelain

Extras available...



Arm pads (pair)



Decontamination tags




Adjustable height mobile commode, sani-chair and shower chair

Ref. Stalham 20 Adj *+

Easy clean stainless steel pan rack choice



- Height adjustable for users of varying statures or when clearance is needed over wall mounted toilet porcelain
- Reduces cross infection having a fully synthetic frame which doesn't chip or rust
- Massive long term financial savings - they don't rust and need replacing
- Lightweight and can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms - smooth, lateral transfer
- Adjustable height, swinging & detachable footrests
- Vulcanised rubber overseat - no upholstery
- Full width pushing handle & 4 total lock brake castors
- Safe for users up to 20 stone (130 kg)
- Choice of stainless steel pan racks (extra)
- Decontamination tags & arm pads available as extras



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.

Height adjustable	1010-1070mm (40-42")	Arm height	260mm (10")
Width	570mm (20")	Back height	520mm (20")
Depth	600mm (24")	Castor size	130mm (5")
Aperture seat height	480-530mm (19-21")	Toilet clearance height	470-520mm (18.5-20.5")
Overseat height	530mm (21")	Max user weight	20st (130kg)
Seat width	470mm (18")	Product weight	14.5kg
Seat depth	400mm (16")		

Fully synthetic frame
Quick and easy to
decontaminate
Over 10 years of
proven service

Extras available...



Arm pads (pair)



Decontamination tags



The number 1 choice
for an increasing
number of hospital
trusts in the UK



Ready to clean in 20 seconds



Platinum Award Winner


Mobile commode, sani-chair and shower chair

Ref. Stalham 20 *+

Easy clean stainless steel pan rack choice



- Reduces cross infection having a fully synthetic frame which doesn't chip or rust
- Massive long term financial savings - they don't rust and need replacing
- Lightweight and can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms - smooth, lateral transfer
- Adjustable height, swinging & detachable footrests
- Vulcanised rubber overseat - no upholstery
- Full width pushing handle
- Four total lock brake castors for safety
- Safe for users up to 20 stone (130 kg)
- Choice of stainless steel pan racks (extra)
- Decontamination tags & arm pads available as extras



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.


Height	1020mm (40")	Arm height	260mm (10")
Width	570mm (22")	Back height	520mm (20")
Depth	600mm (24")	Castor size	130mm (5")
Aperture seat height	510mm (21")	Toilet clearance height	490mm (19")
Under aperture height	490mm (19")	Max user weight	20st (130kg)
Overseat height	530mm (21")	Product weight	14.5kg
Seat width	470mm (18")		
Seat depth	400mm (16")		



Mobile bariatric commode

Ref. Stalham Bari *+

Easy clean stainless steel pan rack choice



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.

- Reduces cross infection having a fully synthetic base frame which doesn't chip or rust
- Massive long term financial savings - doesn't rust, doesn't need replacing
- Can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms - smooth, lateral transfer
- Adjustable height, swinging & detachable footrests
- Vulcanised rubber overseat - no upholstery
- Full width pushing handle
- Rear wheel braking system
- Safe for users up to 30 stone
- Choice of stainless steel pan racks (extra)
- Decontamination tags & arm pads available as extras

Height	1040mm (41")	Arm height	260mm (10")
Width	750mm (29")	Back height	520mm (20")
Depth	900mm (35")	Castor size	130mm (5")
Aperture height	650mm (25")	Toilet clearance height	470mm (18")
Seat width	640mm (25")	Max user weight	30st (191kg)
Seat depth	480mm (19")	Product weight	20kg



The number 1 choice
for an increasing
number of hospital
trusts in the UK



Ready to clean in 20 seconds



Platinum Award Winner

Extra wide model

Fully synthetic
non rust frame

Extras available...



Arm pads (pair)



Decontamination tags



Extra wide mobile commode, sani-chair and shower chair

Ref. Stalham V *+

Easy clean stainless steel pan rack choice



- Reduces cross infection having a fully synthetic frame which doesn't chip or rust
- Long term savings - they don't rust or need replacing
- Lightweight and can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms - smooth, lateral transfer
- Adjustable height, swinging & detachable footrests
- Vulcanised rubber overseat - no upholstery
- Full width pushing handle
- Four total lock brake castors for safety
- Safe for users up to 20 stone (130 kg)
- Choice of stainless steel pan racks (extra)
- Decontamination tags & arm pads available as extras



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.

Height	1020mm (40")	Arm height	260mm (10")
Width	630mm (25")	Back height	520mm (20")
Depth	580mm (23")	Castor size	130mm (5")
Aperture height	530mm (21")	Toilet clearance height	470mm (18")
Seat width	500mm (20")	Max user weight	23st (146kg)
Seat depth	440mm (17")	Product weight	15kg



"If it's easy to clean
it will be cleaned"

Adjustable height - practical
at the bedside
Fully synthetic non-rust frame



Ready to clean in 20 seconds

Extras available...



Arm pads (pair)



Decontamination tags



Static commode & shower chair

Ref. Stalham Adj *+

Easy clean stainless steel pan rack choice



- Reduces cross infection by having a fully synthetic frame which doesn't chip or rust
- Massive long term financial savings - they don't rust so don't need replacing
- Lightweight and can be easily stripped down for decontamination in just 20 seconds
- Locking, swing down arms - smooth, lateral transfer
- Vulcanised rubber overseat - no upholstery
- Safe for users up to 20 stone (130 kg)
- Choice of stainless steel pan racks (extra)
- Decontamination tags & arm pads available as extras



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.



Infection
control

Height adjustable	1010-1060mm (40-42")	Arm height	260mm (10")
Width	570mm (22")	Back height	520mm (20")
Depth	620mm (24")	Toilet clearance height	470-520mm (18.5-20.5")
Aperture seat height adjustable	485-560mm (19-21")	Max user weight	20st (130kg)
Seat width	460mm (18")	Product weight	10kg
Seat depth	450mm (18")		

NEW

Infinite reclining positions
Great at the bedside or in the shower
Easy, safe operation



swinging armrests



adjustable headrest



recline lock

Stalham reclining shower chair & commode

Ref. Stalham Reclining
Commode *+

- Can be used as a commode or a shower chair which can be reclined
- Easy operation - simple locking mechanism with infinite variable tilt adjustment reclines the back /seat areas and raises the legs
- The adjustable height headrest has off-centre rotation for comfort
- Positive locking armrests swing down for transfer
- Footrests are adjustable in height, swinging and detachable
- Four total lock brake castors are fitted for safety
- Hygienic PU pads are fitted including an aperture cover
- Predominantly synthetic none rust frame for longevity
- Supplied complete with large round commode pan and lid which are inserted below the aperture from the rear

Extras available...



Arm pads (pair)



Decontamination tags



Safety belts for chest & pelvis and/or leg belt



IV pole

Depth	1100 mm
Width	650 mm
Seat depth	400 mm
Seat height	570 mm
Seat width	450 mm
Max user weight	150 kg (23 st)
Product weight	28.8 kg

NEW

Multicoloured attractive appearance

Three models available

Extras available...



Arm pads (pair)



Decontamination tags




Stalham children's self-propelling commode & shower chair

Ref. Stalham children's self propelling commode & shower chair *+



Infection control



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.

- Three models are available:-
Paediatric self propelling commode & shower chair
Paediatric self propelling commode & shower chair with adjustable height headrest
Paediatric self propelling commode & shower chair with seat width and seat depth adjustment
- Attractive multi-colour appearance
- Can be used as a commode or a shower chair
- Positive locking armrests swing down for transfer
- Footrests are adjustable in height, swinging and detachable
- Four total lock brake castors are fitted for safety
- Hygienic PU pads are fitted including an aperture cover
- Predominantly synthetic none rust frame for longevity
- Supplied complete with round commode pan and lid which are inserted below the aperture from the rear
- Can be supplied with arm-pads and decontamination tags (extra)

	Standard	Adjustable Height	Width/Depth adjustment
Height	1145mm (45")	230-310mm (9-12")	560mm (22")
Width	655mm (25")	655mm (25")	655mm (25")
Depth	970mm (38")	970mm (38")	970mm (38")
Seat height	550mm (21")	550mm (21")	550mm (21")
Seat width	400mm (15")	400mm (15")	225-325mm (8-12")
Seat depth	350mm (13")	350mm (13")	250-295mm (9-11")
Max user weight	80kg (12st)	80kg (12st)	80kg (12st)
Product weight	25kg	25kg	25kg

NEW



Multicoloured attractive appearance

Three seat heights available

Extras available...



Arm pads (pair)



Decontamination tags

Stalham children's attendant operated commode & shower chair

Ref. Stalham children's attendant operated commode & shower chair *+

- Three heights available
- Attractive multi-colour appearance
- Can be used as a commode or a shower chair
- Positive locking armrests swing down for transfer
- Footrests are adjustable in height, swinging and detachable
- Four total lock brake castors are fitted for safety
- Hygienic PU pads are fitted including an aperture cover
- Predominantly synthetic none rust frame for longevity
- Supplied complete with round commode pan and lid which are inserted below the aperture from the rear
- Can be supplied with arm-pads and decontamination tags (extra)



Infection control



For quantities of 20 or more, arm/footrests can be colour coded grey, red, claret or blue. Please note that blue is standard.

	Low	Medium	High
Height	1080mm (42")	1110mm (43")	1130mm (44")
Width	530mm (21")	530mm (21")	530mm (21")
Depth	870mm (34")	870mm (34")	870mm (34")
Seat height	510mm (20")	540mm (21")	560mm (22")
Seat width	420mm (16")	420mm (16")	420mm (16")
Max user weight	80kg (12st)	80kg (12st)	80kg (12st)
Product weight	17.1kg	17.3kg	17.8kg



Hinge down arms
facilitate transfer

Height adjustable

Four total lock brake
castors

Adjustable height mobile commode with hinged drop down arms

Ref. York *+

- Available in three widths, this fabulous product acts as a commode, a sani-chair or a handy mobile indoor transport chair for short distances
- Height adjusts by simple press buttons allowing the aperture to be set to the preferred height and swing down arms cater for easy transfer
- The aperture is comfortable, hygienic, blow moulded wipe clean plastic
- The chromium plated frame is supplied with a pair of hook-on footrests, a full width pushing handle and four total lock brake castors for safety
- The back and detachable overseat are covered in wipe clean vinyl and moulded armrests are fitted for additional comfort
- Back/arms removed for transit which take seconds (without tools) to fit

	18" width	20" width	22" width
Height adjustable	940-1040mm (37-41")	940-1040mm (37-41")	940-1040mm (37-41")
Width	510mm (20")	560mm (22")	610mm (24")
Depth	630mm (25")	630mm (25")	630mm (25")
Aperture height adjustable	510-610mm (20-24")	510-610mm (20-24")	510-610mm (20-24")
Overseat height adjustable	550-650mm (22-26")	550-650mm (22-26")	550-650mm (22-26")
Seat width	450mm (18")	500mm (20")	550mm (22")
Seat depth	460mm (18")	460mm (18")	460mm (18")
Arm height	750mm (30")	750mm (30")	750mm (30")
Back height	400mm (16")	400mm (16")	400mm (16")
Castor size	130mm (5")	130mm (5")	130mm (5")
Toilet clearance height	460mm (18")	460mm (18")	460mm (18")
Max user weight	20st (130kg)	20st (130kg)	20st (130kg)
Product weight	17kg	17kg	17kg



Guide to pans and racks
All pans and racks are slid into the commode
from the rear. Square pans & Yellow insert pans
don't have lids, nor do they need a rack.




Mobile commode with fully detachable arms

Ref. Mariner *+

- This popular mobile commode is fitted with four, total lock brakes for safety
- Strong, quality, chromium plated frame with fully detachable arms which cater for side transfer
- Upholstery is wipe clean vinyl
- The aperture is blow moulded plastic which is both comfortable and easy to clean and there is a full width pushing handle for attendant use
- The back and arms are removed for transit and these are easily re-fitted without tools
- Footrests are extra as are pans and racks to hold them - please see below

Height	970mm (38")
Width	520mm (20")
Depth	590mm (23")
Aperture height	500mm (20")
Overseat height	540mm (21")
Seat width	440mm (17")
Seat depth	460mm (18")
Arm height	740mm (29")
Back height	430mm (17")
Castor size	130mm (5")
Toilet clearance height	450mm (18")
Max user weight	18st (114kg)
Product weight	13kg



Guide to pans and racks
All pans and racks are slid into the commode from the rear. Square pans & Yellow insert pans don't have lids nor do they need a rack.



Mobile commode with hinged drop down arms

Ref. Woodhurst *+

- This very popular mobile commode has a comfortable, wipe clean aperture and a durable, quality chromium plated frame
- It has four, total lock brake castors for safety and a wide pushing handle for attendant control
- The arms are hinged at the rear, lowering down when needed for side transfer - should you not require this option simply leave the arm locking pin in place on delivery and the arm will remain in the fixed position
- Footrests are extra as are pans and racks to hold them - please see the guide below

Height	940mm (37")
Width	530mm (21")
Depth	580mm (23")
Aperture height	480mm (10")
Overseat height	560mm (21")
Seat width	430mm (17")
Seat depth	460mm (18")
Arm height	730mm (29")
Back height	400mm (16")
Castor size	130mm (5")
Toilet clearance height	430mm (17")
Max user weight	18st (114kg)
Product weight	14kg



Heavy duty mobile commode with detachable arms

Ref. Aldershot *+

- Chromium plated steel frame
- 50 stone weight limit
- Moulded PU foam seat
- Plastic bowl - removable
- Flame retardant over seat and backrest
- Fully detachable arms with armpads
- Full width pushing handle
- 4 total lock swivel brake castors
- Can be supplied with footrests, square pan or bedpan rack as extras - see below



Bariatric commode with hinged arms

Ref. Blackwell *+

- 50 stone weight limit
- Heavy duty steel frame
- Modified PU foam seat with aperture
- Modified PU foam back pad
- Drop down padded armrests
- Moulded seating area and backrest
- Toilet roll holder below armrest



Infection
control



Supplied to the NHS

Seat height	550mm (22")
Seat width	610mm (24")
Seat depth	530mm (21")
Width	720mm (28")
Height	975mm (38")
Depth	670mm (27")
Width between arms	610mm (24")
Max user weight	318kg (50st)

Guide to pans and racks

All pans and racks are slid into the commode from the rear.

Square pans & Yellow insert pans don't have lids nor do they need a rack.

Seat height	480mm (19")
Seat width	610mm (24")
Seat depth	530mm (21")
Width	730mm (29")
Height	850mm (34")
Depth	570mm (22")
Width between arms	620mm (24")
Aperture width	250mm (10")
Aperture depth	330mm (13")
Product weight	20kg
Max user weight	318kg (50st)



Extra wide mobile commode with hinged arms

Ref. Woodhurst Extra Wide *+

- Supports up to 22 stone
- Wipe clean aperture and padded over seat
- Four total lock brake castors for safety
- Wide pushing handle for attendant control
- Arms hinged at the rear for transfer
- Chromium plated frame with vinyl upholstery
- Footrests are extra as are pans & racks to hold them



Vector Capri bedpan with lid



Yellow bedpan



Yellow insert pan

Height	990mm (39")
Width	690mm (27")
Depth	560mm (22")
Aperture height	500mm (20")
Overseat height	540mm (21")
Seat width	590mm (23")
Seat depth	460mm (18")
Arm height	750mm (29")
Back height	410mm (16")
Castor size	130mm (5")
Toilet clearance height	460mm (18")
Max user weight	22st (140kg)
Product weight	17kg

Fixed or adjustable height community commode

Ref. London/London Adj *+

- Stackable up to ten for easy storage, these are available with fixed or adjustable height legs. They have completely removable upholstery (this also caters for thorough cleaning) which means that even when stacked they take up minimal space
- Both models have splayed legs for stability and are supplied with a removable commode pan and lid which fit below the hinged, round plastic toilet seat
- Simple "C" clips alter the adjustable height model



Easy, "C" clip height adjustment

	18"	Adjustable 18-26"
Height	815mm (32")	815mm (32")
Width	560mm (22")	560mm (22")
Depth	560mm (22")	560mm (22")
Seat height	460mm (18")	460-655mm (18-26")
Height of back from seat	355mm (14")	355mm (14")
Max user weight	160kg (25st)	160kg (25st)



Drop loop toilet rail

Ref. Plumstead *+

- Plastic coated steel rail and bracket
- Locks in upright position when not in use
- Held by safety locking pin
- Can be mounted in pairs

Arm length	690mm (27")
Wall bracket	200x130mm (8x5")
Max user weight	115kg (18st)



Drop loop toilet rail

Ref. Ravenstone *+

- 35mm heavy duty aluminium tubing
- Locks in upright position when not in use
- Nylon fixing plate with aluminium cover
- Can be mounted in pairs

Depth	380mm (14")
Width	660mm (26")
Height	130mm (5")
Max user weight	115kg (18st)



Drop loop toilet rail with support leg

Ref. Peterlee *+

- Plastic coated steel rail, leg and bracket
- Locks in upright position when not in use
- Held by safety locking pin
- Adjustable height leg
- Non-slip rubber tip
- Can be mounted in pairs

Arm length	690mm (27")
Height	790-900mm (30-35")
Wall bracket	200x130mm (8x5")
Max user weight	125kg (19st)



Height adjustable aluminium toilet surrounds

Ref. Shorwell *+

- Anodised aluminium frame
- Blow moulded plastic armrests
- Adjust in height - one with non-slip rubber ferrules, the other with flanges for permanent floor fixing

Depth	450mm (18")
Width	590mm (23")
Height	670-820mm (26-32")
Width between arms	480mm (19")
Max user weight	127kg (19st)
Product weight	2kg



Height adjustable steel toilet surrounds

Ref. Adlington *+

- Steel frame
- Blow moulded plastic armrests
- Adjust in height - one with non-slip rubber ferrules, the other with flanges for permanent floor fixing

Depth	480mm (19")
Width	600mm (24")
Height	670-820mm (26-32")
Width between arms	510mm (20")
Max user weight	160kg (25st)
Product weight	4.15kg



Height and width adjustable steel toilet surrounds

Ref. Datchet *+

- Plastic coated steel frame
- Blow moulded plastic armrests
- Adjust in height - one with non-slip rubber ferrules, the other with flanges for permanent floor fixing

Depth	480mm (19")
Width	600mm (24")
Height	660-810mm (26-32")
Width between arms	510-640mm (20-25")
Max user weight	140kg (22st)
Product weight	5.5kg



Adjustable height raised seat toilet surround

Ref. Dale *+

- Plastic coated steel frame
- Blow moulded seat - clips on/unclips for cleaning
- Adjustable height legs
- Non slip rubber feet

Depth	560mm (22")	Seat depth	420mm (17")
Width	560mm (22")	Max user weight	165kg (25st)
Seat height	520-670mm (21-26")	Product weight	5.5kg
Seat width	400mm (16")		



Height adjustable aluminium toilet surrounds

Ref. Helper *+

- Available with rubber ferrules or floor flanges for permanent fixing both these models adjust in height for users of differing statures
- The frames are plastic coated steel and moulded plastic arm rests are fitted for user comfort

Height adjustable	650-800mm (26-32")
Width	540mm (21")
Depth	440mm (17")
Max user weight	114kg (18st)
Product weight	4kg

Raised toilet seats

Ref. Brooke 2/ Brooke 4 *+

- Available in 2"(5cm) and 4"(10cm) heights these raised toilet seats are manufactured from comfortably moulded ABS plastic with a high gloss, easy clean finish which resists stains and odour
- They are held firmly in position with a twin clamp locking system



The Brooke is held firmly in place with a twin clamp locking system for safety

	2" model	4" model
Height	50mm (2")	100mm (4")
Width	380mm (15")	380mm (15")
Depth	400mm (16")	400mm (16")
Max user weight	114kg (18st)	114kg (18st)
Product weight	1kg	2kg



Bedpan



Commode insert pan



Slipper bedpan

Bright yellow for easy identification

Smooth non stick surfaces for comfort

Infection control bedpan, slipper bedpan and commode insert pans

Ref. Yellow *+

Bedpan



Slipper bedpan



Commode insert pan



- Due to inaccessible areas which harbour bacteria, traditional “perfection” bedpans no longer comply with current British Standards (BS2588)
- Our new pans tackle cross-infection issues by having no recesses so there’s nowhere for bacteria to hide!
- 85% of all toileting is now “out-of-bed”
- To complement the bedpan (for sitting patients) and the slipper (for lying down) there is now a third insert pan specially developed for sampling and used directly under commodes eliminating the need for a rack and therefore reducing areas of contamination
- They are easier to clean through their intelligent shapes with no “pockets” for bacteria to breed and are able to be washed and disinfected in automatic equipment up to 95 degrees centigrade thus removing all faeces and killing all bacteria
- Their non-stick surface is comfortable for patients as they have rounded edges and smooth surface areas
- They are vacuum pressed rather than injection moulded, much stronger, less brittle, “non-peeling”, longer lasting and therefore offer much better value for money

The underside...

Easy to clean with no “pockets” for bacteria to breed

	Bedpan	Slipper Bedpan	Insert Pan
Height	90mm (4")	110mm (5")	110mm (5")
Width	310mm (12")	310mm (12")	340mm (13")
Depth	380mm (15")	430mm (17")	380mm (15")



Bedpans, commode pans and urinals



Chrome plated steel grab bars

Ref. Grab Bar Chrome *+

- Steel grab bars available in 12", 18", 24" & 32" lengths
- Chrome plated finish (with knurled grips)
- Three fixing holes in each flange for safety



Plastic coated steel grab bars

Ref. Grab Bar Plas *+

- Steel grab bars available in 12", 18", 24" & 32" lengths
- Supplied with a plastic coated finish
- Three fixing holes in each flange for safety