



Veterinary Catalogue

- Endoscopic Diagnostic Equipment
- Ultrasound Scanner
- Laboratory Analysis Equipment
- X-Ray Machine
- Veterinary Sperm Equipment
- Animal Surgical Equipment

Endoscopic Diagnostic Equipment

Endoscopic Diagnostic Equipment

HD Veterinary Video Flexible Endoscope

- HD image, the details of mucosa can be observed more clearly.
- Supply workstation software can print report directly.
- Snap and record, TF memory card 64GB.
- φ8mm insertion tube,φ2.8mm Working channel.


	Standard	Optional	
TYPE	VET-1206	VET-1508	VET-3313
INSERTION TUBE DIAMETER	Φ6.3mm	Φ8.3mm	Φ12.9mm
WORKING CHANNEL	Φ2.0mm	Φ2.8mm	Φ3.7mm
WORKING LENGTH	1200mm	1500mm	3300mm
IMAGE DEFINITION	1080P		
TIP DEFLECTION	U210°D90°L100°R100°		U180°D180° L160°R160°
FIELD OF VIEW	120°		
DEPTH OF FIELD	3-100mm		

HD Veterinary Rigid and Flexible Endoscope System

- The gastrointestinal endoscope (VET-1206/VET-1508/VET-3313) and the rigid endoscope share the same image processor
- Electronic gastroscope + laparoscope + bronchoscope share the host
- Full HD :1920*1080P.
- Multi-funciton : Photo capture,Video recording function,white balance, LED cold light source.
- Multi-language: Chinese/English.
- Application:Laparoscopy,Urology,ENT,Orthopedics,etc.

TYPE	VET-300R
IMAGING	1080P
COLD LIGHT	LED-80W
LIFE SPAN	20000H
CRI	93%
RECORD	OK
MEMORY	Udisk storage

TYPE	VET-0503Y
DIAMETER	Φ5mm
LENGTH	290mm
ANGLE	30°
OPTIONAL INTERFACE	28mm
CAMERA	2K
GUIDE BEAMLENGTH	2.5m




Portable Image Processing System

TYPE	VET-300F
WHITE BALANCE	Automatic
RGB ADJUSTMENT	-50~+50
COLD LIGHT	LED 40W
LUMINANCE	>800Lm
AIR/FLOW	0.05MPa,0.75m³/n
SNAP/RECORD	1080P/30Fps
VOLTAGE	~100V-240,50HZ/60HZ



- Super fine diameter 3.0mm, suitable for small animals.
- Examination of canal, ear, nose, throat ,bladder and gastrointestinal.
- Through the computer can take pictures and video, automatically generated graphic report.
- Portable design, easy to move



Portable Veterinary Endoscope

Portable Gastroscope with Monitor



Portable USB Gastroscope

Ultrasound Scanner

DP-S7



- It can adjust brightness and contrast.
- To default the setup parameters.
- It can separately adjust the near-field, mid-field, far-field gains and overall gain.
- There are multiple options of focus combinations for emission.
- In single-B display mode, it has the function of continuous visual field moving in real-time status.
- Cine loop, gamma correction processing functions.
- With external USB interface, it can transmit the data of built-in memory to PC.

Ultrasound Scanner

DP-L60



- Light weight, only 0.6kg;
- 5.8 inch WVGA LCD and excellent imaging quality and ergonomic design;
- Versatile and easy use for all veterinary applications on bovine, equine, swine, etc;
- Li-ion battery with 3 operating hours;
- Images and videos export via USB 2.0 with 450 frame cine loop inside;
- Software & Report for reproductive system, and measurement for distance, area, circumference, volume, angel, heart rate, etc..

DP-KX5200

- Work with battery for about 200 minutes.
- 1.1 kg
- 5.7 inch TFT LCD
- Pedestal type charger & Car charger
- Concise menu for operation
- 8 stages magnification
- Good brightness for work under sunshine
- Handle on wrist to free your hands
- Freeze the image with a switch (drive-by-wire) on your hand.
- USB port for flash card memory & real-time image transfer to PC
- 100 frames permanent image storage & 256 frames cine loop
- 8 kinds pseudo color



- 1.1kg weight. Smart and light.
- High-capacity lithium Battery, more than 6 hours work.
- Sunshine cover, suitable for use in outdoor strong sunshine.
- Available for left/right hand alternative use, eliminating operate fatigue.
- Multiple use method: hand-held, chest hanging, back hanging, waist hanging, ect.
- Optional professional ultrasound goggles, convenient for outdoor use, meet different need.
- Have soft rubber coat, splash-proof, dust-proof.
- 2 kinds filter function, 7 kinds compress curve, 100 frames image permanent storage, 256 frames cine loop.

DP-RKU10



Laboratory Analysis Equipment

Laboratory Analysis Equipment

Veterinary Biochemistry Analyzer DP-SMT-120VP



- Small and portable
- Easy to use
- Little sample volume
- One analyzer formultiple uses
- Consumable advantages
- Minimal maintenance

Sample Volume	100μl
Sample Type	Anti-coagulated whole blood, serum, plasma
Bar Code	Two-dimensional bar code
Storage	MAX 500.000 results
Temperature	37±0.3°C
Resolution	0.001 Abs
Testing Method	End point, kinetic, fixed time and turbidimetry
Operational Environment	Temperature: 10-30°C,Humidity: <85%
Light Source	12V/20W, halogen tungsten lamp's life span is over 2500 hours
Voltage	AC 100-240V ,50/60Hz

Weight	4Kg
Testing Principle	Absorption spectroscopy, transmission turbidimetry
Printer	Built-in thermal printer
QC & Calibrate	Real time full-auto finish
Order Code	A00121VETENO
Absorbance	0-3.0Abs
Display	Android 7.0 inch 800*480,multi-point capacitive touch screen
Connectors	2 USB ports
Language	English, Italian, Portuguese, Russian, Spanish, Deutsch, French, Thai
Rated Power	100VA

Hematology Analyzer DP-KS-8800



- 3 part differentiation of WBC,24 parameters8.4 inches color touch screen
- waste full alarm automatically
- Double channel counter,up to 60 samples test per hour
- sample volume:venous 9.8ul,prediluted 20ul for twice testing
- windows operation system,mouse and keyboard operation
- Automatically sample probe cleanning (inside and outside)
- Large storage capacity:up to 100000 samples +3 histograms
- Internal thermal-sensitive printer or external printer

Hematology Analyzer DP-DF56-VET



- 4 two-dimensional scatter plots 3 histograms
- Detection speed: ≥ 60T/H
- Blood sample mode: whole blood, pre-diluted blood;
- Manual Sample injection
- Application: Pet hospital, Animal husbandry station, Research Institute
- Analysis mode: CBC, CBC+DIFF
- Display and operation: 10.4-inch color touch screen
- Sample volume: minimum allowable 20μL
- Data storage: 100,000 sample records (including scatter plots, histograms, and animal information)
- Optical method to detect white blood cell count, the result is more accurate

X-Ray Machine

Rotation Dynamic Digital X Ray DP-DX-VM



- Complete Professional VET Software
- Convenient Touchable HD Screen
- High Resolution Imaging Effect
- Support Software Connection With Hospital Control System
- Support DR room connection with clinics room
- Support imaging and operating in clinics room


X-Ray Machine

Flat Bed Dynamic X-Ray Machine DP-DX-V1



Portable X-Ray Machine DP-DJP05DRE

Can be widely used for human limbs checking and diagnosing, especially used in hospital room, ambulance, disaster relief, emergency medical treatment, sports events, and charity organizations etc.



- Power: 5.6kW
- Charge power supply: AC220V
- kV Range: 40 ~ 125kV
- mA Range: 5 ~ 100mA
- mAs Range: 0.1-200mAs
- Working Frequency: 100kHz
- Exposure time: 0.005S ~ 6.3S
- Double Focus: 0.6 mm / 1.8 mm
- Charging time: 20mins
- Head size: 420mm * 245mm * 240mm

Portable X-Ray Machine DP-D05DR



- Deft and concise
- 6 periods of digital LED display
- Failure self-protection, self-diagnosis
- High precision control of tube voltage, tube current
- 48 kinds of presupposed anatomy memory pattern choice
- Accuracy control method of simulation and double digital loops
- X-ray tube complete surrender by lead for protect X-ray leaking
- Exposure by hand switch
- Exposure by remote control
- Exposure by touch screen

Veterinary Sperm Equipment


Dog Ovulation Detector



- Detect whether the female dog is in heat normally, pass the test
- Accurately reflect whether the female dog ovulates or not, and you can grasp the appropriate breeding time for the female dog.
- Remind the female dog of whether there is a premature birth warning during pregnancy, and predict it in advance.
- The operation is simple, the result is available in 15 minutes, and the test result report can be printed



Veterinarian Visual Sperm Gun



- The sperm probe can be heated at a constant temperature to prevent the probe from being cold and irritating the cow from spasming
- Circular probe, stainless steel probe
- The air blowing design of the measurement channel is unobstructed, and the camera is unobstructed
- The screen is tilted 45 degrees for easy observation by the sperm practitioner
- Professional sperm needle with smooth and polished front end
- Multi-function screen (video/photo/playback/image magnification)

Veterinary Sperm Equipment

Dog Ovulation Tester



- The end of the probe is rounded and polished, so it will not harm organs such as the uterus
- Automatic display, accurate data, and more concentrated digital performance
- Removable battery (9-volt battery)

Bovine/Horse/Pig Ovulation Meter



Dairy Cow Mastitis Tester



- Waterproof all over
- Large-screen digital display, automatic display, accurate numbers
- Removable replacement battery

Liquid Nitrogen Tank for Sperm



- Aerospace aluminum alloy material
- Polyurethane stopper
- Vacuum protective nozzle

Animal Surgical Equipment

Pet Operating Table DP-003



- The bed is made of 304 stainless steel
- The operating table is an electric operating table, and all movements are controlled by motors
- The worktop consists of double cleats
- The table top splint can be V-shaped and electrically controlled

Animal Surgical Equipment

Mobile Inspection Lights DP-360L



Surgery Lights without Shadow DP-360-360

Stainless Steel Medical Cage DP-005



DP-A03 Pet Drying Box



DP-03 Stainless Steel Sink for Pets

Stainless Steel Disposal Table DP-01





Niche Suites,
Malik House,
29 Manor Row,
Bradford,
BD1 4PS

T:01274 965 089

E: info@nicheofficesolutions.co.uk

W: www.nicheofficesolutions.co.uk/niche-nhs